

HATSAN AIRGUNS



HATSAN.COM.TR



Serious. Solid. Impact

THE HATSAN DIFFERENCE



More Power

Even though velocity rates may appear the same from brand to brand, in most instances that is not the case. Hatsan establishes its velocity rating using heavier lead pellets, while most competitors use lighter aluminum pellets to market their velocities. What this means for you is that a Hatsan airgun delivers **OVER 30% MORE IMPACT ENERGY** than an alloy-tested airgun with the same velocity.



Unique Features

Many of our airguns offer specialty features that come standard within our product line to provide shooters with a better experience, including the Quattro Trigger, SAS-Shock Absorber System, QuietEnergy, XRS – Recoil Reduction System, Barrel Release System, TruGlo® fiber optics, the Triopad® butt system, patented “Antidouble pellet feed mechanism” preventing more than one pellet loading into barrel and “anti-knock system” preventing gas wastage when rifle is knocked or bounced.

What sets Hatsan Airguns apart from The Competition?




Custom Designs

While other manufacturers work from widely used templates, all Hatsan designs are conceived and developed in-house. This means your Hatsan airgun is an original, not a reproduction.



100% Vertically Integrated

Complete vertical integration ensures the high quality you expect from Hatsan. Every part of every airgun is produced right in our facilities to guarantee a wellmade finished product. And only the highest-grade raw materials are used, including fine Turkish walnut and durable German steel.



Family Ownership

It all started in 1976 with one young man hoping to replicate an air dart gun in his parents' garage. Since that time, Hatsan has become one of the world's most recognized brands in the shooting sports, airgun and firearm industry – delivering its products to more than 95 countries. This family owned and operated manufacturer maintains a hands-on approach – producing all designs and components in-house to ensure that each product deserves to bear the Hatsan name. In fact, the original founder is still very involved in new product development and design.

Serious. Solid. Impact.
www.hatsan.com.tr



Serious. Solid. Impact

BLITZ

Full-Auto

72joulesPOWER!



Full-Auto and Semi-Auto firing mode pre-charged pneumatic (PCP) air rifle. Selectable firing mode switch. Patented efficient air-operated system.

- Elevation and fit angle & adjustable rubber butt pad.
- Tactical style ambidextrous stock with thumbhole
- Elevation adjustable cheek rest.
- Elevation & windage adjustable fiber optic rear sight built into the carry handle.




Select Fire Switch. Choose between Semi & Full Auto.



21-shot magazine in .22 (5.5mm), 19-shot magazine in .25 (6.35mm) and 16-shot magazine in .30 (7.62mm) caliber

FULL AUTO & SemiAutoAction

FULLY SHROUDED
BARREL



580cc Carbon Fiber Air Bottle



BLITZ FDE

Flat Dark Earth Color Stock version.

FULL AUTO & SemiAutoAction

Model	Blitz		
Caliber	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal
Max. Muzzle Velocity (*)	320m/s(1050fps)	295m/s(970fps)	221m/s(730fps)
Energy (*)	Joules	49	56
	ft.lbsv	36	41
Magazine Capacity	21	19	16
Air Tube Volume	580cc		
Fill Pressure	250 BAR		
Number of Semi Auto or Full Auto Shots at Optimal Velocity	130	110	100
Stock	Tactical Synthetic Stock. Ergonomic Pistol Grip. Elevation adjustable Cheek-Rest.		
Overall Length	1150mm (45.2")		
Barrel Length	585mm (23")		
Weight	4kg (8.8lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

** Minimum 100 bar pressure necessary for full auto or semi auto action.

Adjustable rear sight
built into the carrying
handle & adjustable front sight.






Serious. Solid. Impact

BLITZ 777

Full-Auto

**FULLY SHROUDED
BARREL**



580cc Carbon Fiber Air Bottle

Full-Auto and Semi-Auto firing mode pre-charged pneumatic (PCP) air rifle. Selectable firing mode switch. Patented efficient air-operated system.



FULL AUTO & SemiAutoAction

21-shot magazine in .22 (5.5mm), 19-shot magazine in .25 (6.35mm) and 16-shot magazine in .30 (7.62mm) caliber

1120fpsPOWER!
with **Lead Pellets**



Serious. Solid. Impact

FULL AUTO & SemiAutoAction



Select Fire Switch. Choose between Semi & Full Auto.



Model		Blitz 777		
Caliber		5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal
Max. Muzzle Velocity (*)		340m/s(1120fps)	309m/s(1020fps)	230m/s(760fps)
Energy (*)	Joules	55	62	80,5
	ft.lbsv	41	45	59
Magazine Capacity		21	19	16
Air Tube Volume		700cc		
Fill Pressure		300 BAR		
Number of Semi Auto or Full Auto Shots at Optimal Velocity		175	170	160
Stock		Tactical Side Folding Stock. Ergonomic Pistol Grip. Elevation adjustable Cheek-Rest.		
Overall Length		1230mm (48.5")-1310mm(51,5")		
Barrel Length		660mm (26")		
Weight		4.9kg (10.8lbs)		

Elevation adjustable comb



* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

** Minimum 100 bar pressure necessary for full auto or semi auto action.



Serious. Solid. Impact

1155fpsPOWER!
with *Lead Pellets*

BLITZ BP

Full-Auto

FULL AUTO & SemiAutoAction

**FULLY SHROUDED
BARREL**



580cc Carbon Fiber Air Bottle

- Elevation and fit angle & adjustable rubber butt pad
- Elevation adjustable cheek rest



Pistol Grip can be set to different locations for small; medium or big fingers. Finger distance to the trigger shoe can be adjusted by 15 mm.

Select Fire Switch Choose Between Semi- & Full Auto



21-shot magazine in .22 (5.5mm), 19-shot magazine in .25 (6.35mm) and 16-shot magazine in .30 (7.62mm) caliber



Model		Hatsan Blitz BP			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm/ .30 cal
Max. Muzzle Velocity (*)		350m/s (1155fps)	320m/s (1050fps)	295m/s (970fps)	221m/s (730fps)
Energy (*)	Joules	34,7	49	56	71,8
	ft. lbs	25,5	36	41	53
Magazine Capacity		24	21	19	16
Air Tube Volume		580cc (carbon fiber)+30cc			
Fill Pressure		250 BAR			
Number of Shots at Optimal Velocity		140	130	110	100
Stock		Bullpup, advanced polymer, elevation adjustable comb, adjustable butt pad			
Overall Length		905mm (35.6")			
Barrel Length		585mm (23")			
Weight		4kg (8.8lbs)			

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

** Minimum 100 bar pressure necessary for full auto or semi auto action.

1155fpsPOWER!
with *Lead Pellets*



BLITZ MEVZI

Full-Auto II; III; IV

**FULLY SHROUDED
BARREL**

FULL AUTO & SemiAutoAction

**BLITZ
MEVZI IV**



Model		Hatsan Blitz Mevzi 4			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm/ ,30 cal
Max. Muzzle Velocity (*)		350m/s(1155fps)	320m/s(1050fps)	295m/s(970fps)	221m/s(730fps)
Energy (*)	Joules	34,7	49	56	71,8
	ft.lbs	25,5	36	41	53
Magazine Capacity		24	21	19	16
Air Tube Volume		580cc x 4 pcs (carbon fiber)			
Fill Pressure		250 BAR			
Number of Shots at Optimal Velocity		500	480	400	360
Stock		Tactical Synthetic Stock, Ergonomic Pistol Grip. Adjustable Cheek Piece.			
Overall Length		905mm (35.6")			
Barrel Length		585mm (23")			
Weight		6.15 kg (13.5 lbs)			

Full-Auto and Semi-Auto firing mode pre-charged pneumatic (PCP) air rifle. Selectable firing mode switch. Patented efficient air-operated system. 580cc carbon fiber air bottle mounted in the forearm. BLITZ MEVZI II Comes with two 580 cc carbom fiber air bottle. BLITZ MEVZI III Comes with three 580 cc carbom fiber air bottle. BLITZ MEVZI IV Comes with four 580 cc carbom fiber air bottle. Patented anti-knock system to prevent discharge of the rifle when rifle is knocked or bounced.

FULL AUTO & SemiAutoAction

**BLITZ
MEVZI II**



Model		Hatsan Blitz Mevzi 2			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm/ ,30 cal
Max. Muzzle Velocity (*)		350m/s(1155fps)	320m/s(1050fps)	295m/s(970fps)	221m/s(730fps)
Energy (*)	Joules	34,7	49	56	71,8
	ft.lbs	25,5	36	41	53
Magazine Capacity		24	21	19	16
Air Tube Volume		580cc x 2 pcs (carbon fiber)			
Fill Pressure		250 BAR			
Number of Shots at Optimal Velocity		265	250	210	190
Stock		Tactical Synthetic Stock, Ergonomic Pistol Grip. Adjustable Cheek Piece.			
Overall Length		905mm (35.6")			
Barrel Length		585mm (23")			
Weight		4.7 kg (10.4 lbs)			

FULL AUTO & SemiAutoAction

**BLITZ
MEVZI III**



Model		Hatsan Blitz Mevzi 3			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm/ ,30 cal
Max. Muzzle Velocity (*)		350m/s(1155fps)	320m/s(1050fps)	295m/s(970fps)	221m/s(730fps)
Energy (*)	Joules	34,7	49	56	71,8
	ft.lbs	25,5	36	41	53
Magazine Capacity		24	21	19	16
Air Tube Volume		580cc x 3 pcs (carbon fiber)			
Fill Pressure		250 BAR			
Number of Shots at Optimal Velocity		375	360	300	270
Stock		Tactical Synthetic Stock, Ergonomic Pistol Grip. Adjustable Cheek Piece.			
Overall Length		905mm (35.6")			
Barrel Length		585mm (23")			
Weight		5.4 kg (11.9 lbs)			

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
** Minimum 100 bar pressure necessary for full auto or semi auto action.

GALATIAN 5 AUTO

Semi Auto

**FULLY SHROUDED
BARREL**

SemiAutoAction



Semi auto action, pre-charged pneumatic (PCP) air rifle. Checkering on grip & forend for better control & feel. Detachable aluminum air cylinder tube (255cc). Spare cylinders are available. Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced. Gold plated metal trigger & synthetic trigger guard.



Sights are easily detachable which allows to mount optics on the receiver.



(*) Scope sold separately

Model		Galatian 5 Auto		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		310m/s (1020fps)	288m/s (950fps)	265m/s (870fps)
Energy (*)	Joules	27	39,8	45
	ft.lbs	20	29	33,5
Magazine Capacity		14	12	10
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Number of Semi Automatic Shots at Optimal Velocity (**)		50		
Stock		High Quality Turkish Walnut		
Overall Length		1068mm (42")		
Barrel Length		500mm (19.7")		
Weight		3.7kg (8.1lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

** Minimum 100 bar pressure necessary for semi auto action.



Carrying case included.

1020fpsPOWER!
with *Lead Pellets*



GALATIAN 6 AUTO

Semi Auto

**FULLY SHROUDED
BARREL**

SemiAutoAction



Semi auto action, pre-charged pneumatic (PCP) air rifle. Detachable aluminum air cylinder tube (255cc). Spare cylinders are available. Includes quick-fill nozzle & air cylinder discharging cap. Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced. Black metal trigger & synthetic trigger guard.



Sights are easily detachable which allows to mount optics on the receiver.

SemiAutoAction



**GALATIAN
TACT AUTO**

Tactical telescopic stock version.
Comes with a foregrip bipod.

Carrying case included.

Model		Galatian 6 Auto		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		310m/s (1020fps)	288m/s (950fps)	265m/s (870fps)
Energy (*)	Joules	27	39,8	45
	ft.lbs	20	29	33,5
Magazine Capacity		14	12	10
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Number of Semi Automatic Shots at Optimal Velocity		50		
Stock		Advanced Polymer		
Overall Length		1068mm (42")		
Barrel Length		500mm (19.7")		
Weight		3.85kg (8,5lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

** Minimum 100 bar pressure necessary for semi auto action.

- Telescopic stock. Can be shortened / extended by 10cm (4").
- Stock can be removed easily and you can use it with pistol grip only.
- Elevation adjustable comb.



INVADER AUTO

Semi-Auto

**FULLY SHROUDED
BARREL**

SemiAutoAction



INVADER AUTO OD
OD Green Color Stock version.



INVADER AUTO FDE
Flat Dark Earth Color Stock version.

Model		Invader Auto		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		310m/s (1020fps)	288m/s (950fps)	265m/s (870fps)
Energy (*)	Joules	27	39.8	45
	ft. lbs	20	29	33.5
Magazine Capacity		14	12	10
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Number of Semi Automatic Shots at Optimal Velocity		50	50	50
Stock		Tactical Synthetic Stock Ergonomic Pistol Grip Adjustable Cheek Rest		
Overall Length		1030 mm (40.5")		
Barrel Length		500mm (19.7")		
Weight		3.7kg (8.2lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
** Minimum 100 bar pressure necessary for semi auto action.

975fpsPOWER!
with *Lead Pellets*



REPEX

Semi-Auto



There are two types of dipsticks in the box.
Tactical side folding stock is included.



SemiAutoAction



FDE



GREY



OD

Model		Repex		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		295m/s (975fps)	265m/s (875fps)	235m/s (775fps)
Energy (*)	Joules	25	34	36
	ft.lbs	18	25	26,5
Magazine Capacity		14	12	10
Air Tube Volume		165 cc		
Fill Pressure		250 BAR		
Number of Shotsper fill		70	70	70
Stock		Advanced polymer		
Overall Length		800mm (Butt Shortened) / 860mm (Butt Extended)		
Barrel Length		432 mm (17")		
Weight		2,25 kg (5 lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
** Minimum 100 bar pressure necessary for semi auto action.



Serious. Solid. Impact

670fpsPOWER!
with Lead Pellets

VELOX

AirPistol

SemiAutoAction



VELOX OD



VELOX FDE



VELOX GREY

Model		Velox		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		203m/s (670fps)	188 m/s (620fps)	175m/s (580fps)
Energy (*)	Joules	11,7	17	20
	ft.lbs	8,6	12,6	15
Magazine Capacity		14	12	10
Air Tube Volume		55 cc		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		22	20	19
Stock		Advanced polymer		
Overall Length(rifle)		290mm (11,4") pistol		
Barrel Length		140mm (5,5")		
Weight		1,25 kg (2 lbs)		

* Velocity results may vary due to different ball ammunitions.



800fps POWER!
with *Lead Pellets*



SORTIE

Semi Auto



Model		Sortie		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		245m/s (800fps)	215 m/s (700 fps)	200m/s (660fps)
Energy (*)	Joules	16,5	21,5	26
	ft. lbs	12	16	19
Magazine Capacity		14	12	10
Air Tube Volume		62cc	62cc	62cc
Fill Pressure		200 BAR	200 BAR	200 BAR
Number of Semi Automatic Shots at Optimal Velocity (**)		28	36	30
Stock		Ergonomic design synthetic grip with checkering Collapsible and removable butt		
Overall Length	Butt Folded	460mm (18.1")		
	Butt Extended	635mm (25")		
Barrel Length		200mm (7.9")		
Weight		2.16kg (4.7lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		



Tactical side folding stock is included.

Semi auto action, pre-charged pneumatic (PCP) air rifle. 62cc volume air bottle mounted in the forearm. Patented anti-knock system to prevent discharge of the rifle when rifle is knocked or bounced. Black metal trigger.

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
** Minimum 100 bar pressure necessary for full auto or semi auto action.



FACTO

Butt-pad height adjustment
(up & down): 35mm
(1.38")

6-position telescopic stock and conveniently adjustable integrated cheek rest for both cheek riser height and length-of-pull rest.
(up & down); 45mm (1.79")- (back) : 40mm (1.59")

Ergonomic and reversible cocking lever for ambidextrous operation

Combo scope rail; (11mm and 22mm)



Externally adjustable hammer preload

100cc pre-airchamber

Manual safety button

Butt-pad tilt adjustment

QD sling swivel

Ergonomic soft rubber pistol grip

2-Stage fully adjustable Quattro Trigger

Rubber butt-pad offers positive shoulder purchase to prevent slippage for optimal accuracy.

Adjustable length of pull; 40mm (1.59")

R SNIPER



FACTOR SNIPER L



Model		Hatsan Factor Sniper L							
Caliber		5.5mm / .22cal		6.35mm / .25cal		7.62mm / .30cal		9mm / .35cal	
Max. Muzzle Velocity (*)		318m/s (1050fps)		325m/s (1075fps)		285m/s 940(fps)		293m/s 970(fps)	
Energy (*)	Joules	up to133	40gr slug	up to 156	45gr slug	up to 213	80gr slug	up to 229	81gr pellet
	ft.lbs	up to 98		up to 115		up to 157		up to 169	
Magazine Capacity		21-45		19-39		16-33		13	
Air Tube Volume		700cc (carbon fiber)							
Fill Pressure		300 BAR							
Number of Shots at Optimal Velocity		100 (22 gr.pellet at 1100 fps)	80 (33.95 gr. at pellet 1000 fps)		70 (46,3 gr. at pellet 1000 fps)		70 (81 gr. at pellet 800 fps)		
Stock		Mil Spec Modular Precision Buttstock and Pistol Grip							
Overall Length		1180mm (46.5") Stock Shortened 1260mm (49.6") Stock Extended							
Barrel Length		760mm (30")							
Weight		5kg (11.1lbs)							
Regulator		Externally Adjustable							

(*) Velocity and Energy levels are stable shots at 140 bar regulator pressure.

1040fpsPOWER!
with Lead Pellets

QuietEnergySeries



FACTOR SNIPER S



**FULLY SHROUDED
BARREL**



FACTOR SNIPER S



FACTOR SNIPER S FDE



FACTOR SNIPER S BRONZE

Model		Hatsan Factor Sniper S					
Caliber		4.5mm / .177cal		5.5mm / .22cal		6.35mm / .25cal	
Max. Muzzle Velocity (*)		306m/s (1040 fps)	15gr slug	288m/s (1000 fps)	29gr slug	318m/s (900 fps)	45gr slug
Energy (*)	Joules	up to 48,7		up to 87		up to 109	
	ft.lbs	up to 36		up to 64,5		up to 80	
Magazine Capacity		24		21-45		19-39	
Air Tube Volume		480cc (carbon fiber)					
Fill Pressure		300 BAR					
Number of Shots at Optimal Velocity		75 (9,5gr. pellet at 1150 fps)		75 (18,13gr. pellet at 1050 fps)		60 (33.95gr. at pellet 900 fps)	
Stock		Mil Spec Modular Precision Buttstock and Pistol Grip					
Overall Length		1005mm (46.5") Stock Shortened 1085mm (49.6") Stock Extended					
Barrel Length		585mm (23")					
Weight		4.6kg (10,2 lbs)					
Regulator		Externally Adjustable					

(*) Velocity and Energy levels are stable shots at 140 bar regulator pressure.










QuietEnergy Series

FACTOR

1170fps POWER!
with Lead Pellets



FACTOR FDE
Flat Dark Earth cerakote
version

Model		Hatsan Factor		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy (*)	Joules	36	51	57
	ft. lbs	27	38	42
Magazine Capacity		24	21	19
Air Tube Volume		500cc (aluminum)		
Fill Pressure		250 BAR		
Number of Shots Per Fill		320	310	300
Number of Shots at Optimal Velocity		105	100	90
Stock		Telescopic stock. Elevation adjustable cheek rest. Pistol grip.		
Overall Length		1025mm (40.3") Stock Shortened 1090mm (42.9") Stock Extended		
Barrel Length		585mm (23")		
Weight		3.6kg (7.9lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

Manual loading, side lever action, pre-charged pneumatic (PCP) air rifle. Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber. 3 power adjustable Transfer Port. Externally adjustable hammer preload. QuietEnergy fully shrouded barrel and Integrated Sound Moderator – Approximately 50% Quieter. 1/2" UNF threaded muzzle for additional detachable sound moderators.

Power Setting	Hatsan Factor Recommended Energy* 4.5mm / .177cal
3	20 to 36 Joule
2	11 to 30.5 Joule
1	9.4 to 18.8 Joule

Power Setting	Hatsan Factor Recommended Energy* 5.5mm / .22cal
3	35.8 to 51 Joule
2	28 to 39 Joule
1	19 to 22.9 Joule

Power Setting	Hatsan Factor Recommended Energy* 6.35mm / .22cal
3	38 to 57 Joule
2	30.5 to 41.5 Joule
1	18 to 21.5 Joule

* Energy Range "Min to Max" Hammer Preload.
** Energy Range with "Min to Max" Hammer Preload.





- 500cc volume detachable aluminum air bottle.
- Spare aluminum air bottles are available.
- 580cc carbon fiber air bottle upgrade available.

1010fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



FACTOR RC



Model		Hatsan Factor-RC		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		306m/s (1010fps)	288m/s (950fps)	265m/s (870fps)
Energy (*)	Joules	26.5	40	45.3
	ft.lbs	19.5	29.5	33.5
Magazine Capacity		24	21	19
Air Tube Volume		580cc (carbon fiber)		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		140	130	120
Stock		Telescopic stock with adjustable comb and pistol grip		
Overall Length		1025mm (40.3") Stock Shortened 1090mm (42.9") Stock Extended		
Barrel Length		585mm (23")		
Weight		3.6kg (7.9lbs)		
REGULATOR		EXTERNALLY ADJUSTABLE		

Pressure adjustable Regulator and Carbon Fiber air bottle version. Manual loading, side lever action, pre-charged pneumatic (PCP) air rifle. Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber. 3 power adjustable Transfer Port. Externally adjustable hammer preload. Externally adjustable Regulator.

Power Setting	Hatsan Factor-RC Recommended Energy**
	4.5mm / .177cal
3	19 to 26.5 Joule
2	18 to 23 Joule
1	12 to 14.5 Joule

Power Setting	Hatsan Factor-RC Recommended Energy**
	5.5mm / .22cal
3	25 to 40 Joule
2	20 to 28 Joule
1	12.4 to 16 Joule

Power Setting	Hatsan Factor-RC Recommended Energy**
	6.35mm / .25cal
3	27 to 45.3 Joule
2	23 to 31 Joule
1	12.6 to 15.6 Joule

* Velocity and Energy levels are stable shots at 140bar regulator pressure.

* Energy Range "Min to Max" Hammer Preload
** Energy Range with "Min to Max" Hammer Preload and Regulator at 140 BAR.



Serious. Solid. Impact

QuietEnergy Series

1100fps **POWER!**
with Lead Pellets

FACTOR BP



Pressure adjustable Regulator and 580cc volume detachable carbon fiber air bottle. Spare carbon air bottles are available. 3 power adjustable Transfer Port. Externally adjustable hammer preload. 1/2" UNF threaded muzzle for additional detachable sound moderators. Built-in pressure gauge to monitor the cylinder pressure. Additional air gauge to monitor the regulator pressure. Finger distance to the trigger shoe can be adjusted by 15 mm. Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load. Vertical and horizontal trigger shoe adjustment. Patented anti-knock system to prevent discharge of the rifle when rifle is knocked or bounced.

Model		Hatsan Factor BP		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		333m/s (1100fps)	324m/s (1070fps)	294m/s (970fps)
Energy (*)	Joules	31,5	50,5	56,4
	ft.lbs	23,2	37,25	41,6
Magazine Capacity		24	21	19
Air Tube Volume		580cc (carbon fiber)		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		70	60	50
Stock				
Overall Length		870mm(34.25")		
Barrel Length		585mm (23")		
Weight		3.8kg (8.38 lbs)		
Regulator		Externally Adjustable		

* Velocity and Energy levels are stable shots at 150bar regulator pressure.


Power Setting	Hatsan Factor-BP Recommended Energy**
	4,5mm / .177 cal
3	31,5 to 25 Joule
2	25 to 21 Joule
1	14,6 to 16,6 Joule

Power Setting	Hatsan Factor-BP Recommended Energy**
	5,5mm / .22cal
3	41,5 to 50,5 Joule
2	31 to 35 Joule
1	17,5 to 20,4 Joule

Power Setting	Hatsan Factor-BP Recommended Energy**
	6.35mm / .25cal
3	41,3 to 56,4 Joule
2	33 to 38 Joule
1	21,5 to 24 Joule

* Energy Range "Min to Max" Hammer Preload.
** Energy Range with "Min to Max" Hammer Preload and Regulator at 150 BAR.

Pistol Grip can be set to different locations for small; medium or big fingers. Finger distance to the trigger shoe can be adjusted by 15 mm.





Serious. Solid. Impact





Serious. Solid. Impact


TAC BOSS

Compact and very accurate PCP air rifle.



Elevation adjustable comb.

FT Butt Plate; The plate can be adjusted up/down and can be angled into you to give a consistent shoulder position.



PCP AIR RIFLE

FULLY SHROUDED
BARREL



1050fpsPOWER!
with *Lead Pellets*

TAC BOSS

Model		Tac Boss		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		318m/s (1050fps)	297m/s (980fps)	277m/s (915fps)
Energy (*)	Joules	29	42	50
	ft.lbs	21	31	37
Magazine Capacity		18	16	14
Air Tube Volume		580cc (carbon fiber)		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		95	90	80
Stock		Aluminium & foldable stock.		
Overall Length		SOFT RUBBER BUTTSTOCK 1040 mm(41") / FT BUTTSTOCK 1100mm(43,3")		
Barrel Length		520mm (20,5")		
Weight		3.6 kg (7,9 lbs)		

(*)Velocity and Energy levels are stable shots at 125 bar regulator pressure.



Serious. Solid. Impact

QuietEnergy Series

1300fps **POWER!**
with Lead Pellets

HERCULES

Available in **45** cal.

**FULLY SHROUDED
BARREL**



Elevation & fit angle adjustable rubber butt pad and elastic cheek piece.

- Side lever action.
- Picatinny rail milled receiver for both 11mm and 22mm scope mounts.
- 2-stage adjustable trigger for trigger travel and trigger load
- Detachable 17-shot magazine in .177 (4.5mm), 14-shot magazine in .22 (5.5mm), 13-shot magazine in .25 (6.35mm), 10-shot magazine in .30 (7.62mm) and 9-shot magazine in .35 (9mm) caliber.

QuietEnergy Version
QE fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter.



(*) Scope sold separately



Manual loading, side-lever action, pre-charged pneumatic (PCP) air rifle. Precision rifled choked barrel for accuracy. 2 air tube bottles of each 500cc. Overall blued finish, black anodized receiver. "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel. 2-stage adjustable trigger for trigger travel and trigger load. Black metal trigger.

Model		Hercules					
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal	9mm / .35cal	11.43mm / .45cal
Max. Muzzle Velocity (*)		396m/s (1300fps)	375m/s (1230fps)	365m/s (1200fps)	300m/s (990fps)	271m/s (890fps)	224m/s (741fps)
Energy (*)	Joules	44	67	87	132	193	396
	ft. lbs	32,5	49	64	97	142,5	292
Magazine Capacity		17	14	13	10	9	7
Air Tube Volume		2 x 500cc					
Fill Pressure		250 BAR					
Number of Shots Per Fill		140	120	120	85	72	37
Number of Shots at Optimal Velocity		70	65	62	51	48	15
Stock		Advanced polymer, tactical stock with integrated pistol grip					
Overall Length		1230mm (48.4")					
Barrel Length		585mm (23")					
Weight		5.9kg (13lbs)					

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1300fpsPOWER!
with Lead Pellets

QuietEnergySeries




HERCULES BULLY

Available in **45** cal.

**FULLY SHROUDED
BARREL**



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



Foldable and detachable sights.



(*) Scope sold separately

Genuine bullpup design, manual loading, side-lever action, pre-charged pneumatic (PCP) air rifle. 500cc volume air bottle mounted in the forearm. "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel. 2-stage adjustable trigger for trigger travel and trigger load. Black metal trigger.

Model		Hercules Bully					
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal	9mm / .35cal	11.43mm / .45cal
Max. Muzzle Velocity (*)		396m/s (1300fps)	375m/s (1230fps)	365m/s (1200fps)	300m/s (990fps)	271m/s (890fps)	224m/s (741fps)
Energy (*)	Joules	44	67	87	132	193	396
	ft.lbs	32,5	49	64	97	142,5	292
Magazine Capacity		17	14	13	10	9	7
Air Tube Volume		500cc					
Fill Pressure		250 BAR					
Number of Shots Per Fill		95	85	80	50	45	19
Number of Shots at Optimal Velocity		45	40	36	15	13	8
Stock		Advanced polymer, tactical bullpup stock with integrated pistol grip					
Overall Length		920mm (36.2")					
Barrel Length		585mm (23")					
Weight		4.65kg (10.3lbs)					
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green					
	Front Sight	1.5mm (.060") red					

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

1100fps POWER!
with Lead Pellets

PILEDRIVER

Big Bore Pcp



PILEDRIVER



.25 ; .30; 35; 45; .50; .62 cal



Large loading portloads ammo up to 34mm in length.

Model		PILEDRIIVER					
Caliber		6,35mm / .25cal	7.62mm / ,30 cal	9mm / ,35 cal	11,45mm / .45cal	12,7mm / .50cal	15.8mm / .62cal
Max. Muzzle Velocity (*)		333m/s (1100fps)	318m/s (1050fps)	303m/s (1000fps)	268m/s (885fps)	218m/s (720fps)	213m/s (700fps)
Energy (*)	Joules	168	266	436	955	1100	955
	ft.lbs	124	196	322	700	800	700
Air Tube Volume		480cc (carbon fiber)					
Fill Pressure		300 BAR					
Number of Shotsper fill		30	25	15	5	5	4
Stock		Bullpup Synthetic Stock					
Overall Length		1125mm (44,3")	1190mm (46,5")				1130.3mm (44.5)
Barrel Length		750mm (29,5")	890mm (35")				838mm (33")
Weight		4.66kg (10.35lbs)					

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.

141joules**POWER!**

QuietEnergySeries



BT65

CARNIVORE

7.62mm & 9mm

**FULLY SHROUDED
BARREL**



BT65SL CARNIVORE



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



7.62mm (.30cal) - 7 shot magazine



9mm (.35cal) - 6 shot magazine



BT65SL-W CARNIVORE

Side bolt walnut stock version

Pre Charged Pneumatic (PCP), side lever action, multi shot air rifle. Precision rifled barrel for accuracy. Available in .30 (7.62mm) and .35 (9mm) caliber. Detachable aluminum air cylinder tube (255cc). Spare cylinders are available. "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel. Patented Anti-Knock System to prevent gas wastage when rifle is knocked or bounced. Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load. Gold plated metal trigger & metal trigger guard.

Model		BT65SL Carnivore	
Caliber		7.62mm / .30cal	9mm / .35cal
Max. Muzzle Velocity (*)		278m/s (920fps)	230m/s (760fps)
Energy	Joules	114	141
	ft.lbs	84	104
Magazine Capacity		7	6
Air Tube Volume		255cc	
Fill Pressure		200 BAR	
Shots Per Fill		55	50
Number of Shots at Optimal Velocity		19	17
Stock		Advanced Polymer or Walnut, montecarlo cheekpiece, adjustable butt pad & adjustable comb	
Overall Length		1240mm (48.8")	
Barrel Length		585mm (23")	
Weight		4.20kg (9.3lbs)	

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

JET I

780fpsPOWER!
with Lead Pellets



JET I



**JET I
BLUE**



**JET I
RED**



**JET I
GREEN**

Model		JET I		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		235m/s (780fps)	210m/s (700fps)	197m/s (650fps)
Energy (*)	Joules	16	21,5	25,3
	ft.lbs	11,6	16	18,7
Magazine Capacity		8	7	6
Air Tube Volume		40 cc		
Fill Pressure		250 BAR		
Number of Shotsper fill		60	55	52
Number of Shots at Optimal Velocity		18	16	15
Stock		Advanced Polymer		
Overall Length (pistol)		380mm (15") pistol		
Overall Length (rifle)		625-580mm (24.6-22.8) rifle		
Barrel Length		200mm (7,9")		
Weight		0,9 kg (2 lbs)		
Weight (rifle)		1,34 kg (2,9 lbs)		

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.



650fpsPOWER!
with *Lead Pellets*



JET I RG



Model		JET I RG		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		197m/s (650fps)	182 m/s (600fps)	166m/s (550fps)
Energy (*)	Joules	11	15,8	18
	ft.lbs	8,1	11,7	13,3
Magazine Capacity		8	7	6
Air Tube Volume		40 cc		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		21	20	18
Stock		Advanced polymer		
Overall Length(pistol)		455mm (17,9") pistol		
Overall Length(rifle)		700-655mm (27,5-25,8) rifle		
Barrel Length		200mm (7,9")		
Weight		1,1 kg (2,4 lbs)		
Weight(rifle)		1,54 kg (3,4 lbs)		

(*) Velocity and Energy levels are stable shots at 125 bar regulator pressure.



JET I RG



**JET I RG
BLUE**



**JET I RG
RED**



**JET I RG
GREEN**



Serious. Solid. Impact

JET II

780fpsPOWER!
with Lead Pellets



JET II



**JET II
BLUE**



**JET II
RED**



**JET II
GREEN**

Model		JET II		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		235m/s (780fps)	210m/s (700fps)	197m/s (650fps)
Energy (*)	Joules	16	21,5	25,3
	ft.lbs	11,6	16	18,7
Magazine Capacity		8	7	6
Air Tube Volume		40+40 cc		
Fill Pressure		250 BAR		
Number of Shotsper fill		125	120	115
Number of Shots at Optimal Velocity		38	35	32
Stock		Advanced polymer		
Overall Length(pistol)		380mm (15") pistol		
Overall Length(rifle)		625-580mm (24.6-22.8) rifle		
Barrel Length		200mm (7,9")		
Weight		1,1 kg (2,4 lbs)		
Weight(rifle)		1,54 kg (3,4 lbs)		

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.



650fps POWER!
with Lead Pellets



JET II RG



JET II RG



**JET II RG
RED**



**JET II RG
BLUE**



**JET II RG
GREEN**



Model	JET II RG		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	197m/s (650fps)	182 m/s (600fps)	166m/s (550fps)
Energy (*)	Joules	11	15,8
	ft.lbs	8,1	11,7
Magazine Capacity	8	7	6
Air Tube Volume	40+40 cc		
Fill Pressure	250 BAR		
Number of Shots at Optimal Velocity	42	40	37
Stock	Advanced polymer		
Overall Length(pistol)	455mm (17,9") pistol		
Overall Length(rifle)	700-655mm (27,5-25,8) rifle		
Barrel Length	200mm (7,9")		
Weight	1,3 kg (2,9 lbs)		
Weight(rifle)	1,74 kg (3,9 lbs)		

(*) Velocity and Energy levels are stable shots at 125 bar regulator pressure.



Serious. Solid. Impact

JET III

3 Integrated, adjustable flip-up sights.

QuietEnergy fully shrouded barrel and integrated sound moderator



Regulator.

Removable dual 40cc (80cc total) air cylinders fill to 250 BAR.

22mm picatinny rail.



JET III



**JET III
RED**




**JET III
BLUE**



**JET III
GREEN**

725fpsPOWER!
with **Lead Pellets**



Model		JET III		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		220m/s (725fps)	200 m/s (660fps)	177m/s (585fps)
Energy (*)	Joules	13,7	19	20,5
	ft.lbs	10	14	15
Magazine Capacity		8	7	6
Air Tube Volume		40+40 cc		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		31	30	28
Stock		Advanced polymer		
Overall Length(rifle)		835mm -790mm (32,9"-31,1") rifle		
Barrel Length		300mm (11,8")		
Weight		1,9 kg (4,2 lbs)		

(*) Velocity and Energy levels are stable shots at 125 bar regulator pressure



Serious. Solid. Impact

QuietEnergySeries

1220fpsPOWER!
with **Lead Pellets**

NOVA STAR

**FULLY SHROUDED
BARREL**



NOVASTAR QE



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



Includes 2 magazines
and quick fill nozzle.



(*) Scope sold separately

Model		NovaStar			NovaStar QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		370m/s (1220fps)	335m/s (1100fps)	310m/s (1020fps)	370m/s (1220fps)	335m/s (1100fps)	310m/s (1020fps)
Energy (*)	Joules	39	53,5	63	39	53,5	63
	ft. lbs	29	39,5	46	29	39,5	46
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		480cc			480cc		
Fill Pressure		250 BAR			250 BAR		
Number of Shots per fill		320	300	280	320	300	280
Number of Shots at Optimal Velocity		110	100	90	110	100	90
Stock		Genuine Turkish High Grade walnut, Thumbhole, Adjustable Cheek Rest. Adjustable Butt Pad.			Genuine Turkish High Grade walnut, Thumbhole, Adjustable Cheek Rest. Adjustable Butt Pad.		
Overall Length		1095mm (43.1")			1240mm (48.8")		
Barrel Length		585mm (23")			585mm (23")		
Weight		3.8kg (8.4lbs)			3.8kg (8.4lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1220fpsPOWER!
with Lead Pellets

QuietEnergySeries



NOVA STAR SYN



Model		NOVASTAR SYN			NOVASTAR SYN QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		370m/s (1220fps)	335m/s (1100fps)	310m/s (1020fps)	370m/s (1220fps)	335m/s (1100fps)	310m/s (1020fps)
Energy (*)	Joules	39	53.5	63	39	53.5	63
	ft.lbs	29	39.5	46	29	39.5	46
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		480cc (carbon fiber)			480cc (carbon fiber)		
Fill Pressure		250 BAR			250 BAR		
Number of Shotsper fill		320	300	280	320	300	280
Number of Shots at Optimal Velocity		110	100	90	110	100	90
Stock							
Overall Length		1095mm			1240mm		
Barrel Length		585mm (23")			585mm (23")		
Weight		3,75kg (8.33lbs)			3,75kg (8.33lbs)		

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.



Serious. Solid. Impact

QuietEnergy Series

1010fps POWER!
with **Lead Pellets**

NOVA STAR PREMIUM



**FULLY SHROUDED
BARREL**



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



**NOVA STAR
PREMIUM RED**



**NOVA STAR
PREMIUM BLUE**

Model		Novastar Premium		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		306m/s (1010fps)	288m/s (950fps)	264m/s (870fps)
Energy (*)	Joules	26.5	40	45.3
	ft.lbs	19.5	29.5	33.5
Magazine Capacity		14	12	10
Air Tube Volume		580cc (carbon fiber)		
Fill Pressure		250 BAR		
Number of Shots at Optimal Velocity		140	130	120
Stock		Red or Blue Laminated Wood Stock		
Overall Length		1120		
Barrel Length		585mm (23")		
Weight		4.2kg (9.26lbs)		
Regulator		Externally Adjustable		

* Velocity and Energy levels are stable shots at 140bar regulator pressure.

Pressure adjustable Regulator and Carbon Fiber air bottle version. 580cc volume detachable carbon fiber air bottle. Spare carbon air bottles are available. Manual loading, side lever action, pre-charged pneumatic (PCP) air rifle. Laminated Wood stock-Elevation adjustable comb and picatinny rail beneath the forearm. Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced. Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load. Gold plated metal trigger & metal trigger guard.



Serious. Solid. Impact





Serious. Solid. Impact

QuietEnergySeries

1070fpsPOWER!
with **Lead Pellets**

FLASH



QUATTRO
TRIGGER

**FULLY SHROUDED
BARREL**



FLASH QE



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



(*) Scope sold separately

Single shot adapter is included.

Model		Flash			Flash QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42	46	30	42	46
	ft.lbs	22	31	34	22	31	34
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		165cc			165cc		
Fill Pressure		200 BAR			200 BAR		
Number of Shots per fill		100	95	90	100	95	90
Number of Shots at Optimal Velocity		48	40	38	48	40	38
Stock		Advanced polymer			Advanced Polymer		
Overall Length		915mm (36")			1075mm (42.3")		
Barrel Length		450mm (17.7")			450mm (17.7")		
Weigh		2.5kg (5.5lbs)			2.68kg (5.9lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1070fps POWER!
with Lead Pellets

QuietEnergy Series



FLASH W



QUATTRO
TRIGGER

**FULLY SHROUDED
BARREL**



FLASH W-QE

QE QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



(*) Scope sold separately



Single shot adapter is included.

Model		Flash W			Flash W-QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42	46	30	42	46
	ft.lbs	22	31	34	22	31	34
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		165cc			165cc		
Fill Pressure		200 BAR			200 BAR		
Number of Shots per fill		100	95	90	100	95	90
Number of Shots at Optimal Velocity		48	40	38	48	40	38
Stock		Turkish walnut			Turkish walnut		
Overall Length		915mm (36")			1075mm (42.3")		
Barrel Length		450mm (17.7")			450mm (17.7")		
Weight		2.82kg (6.2lbs)			3.00kg (6.6lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

QuietEnergySeries

1070fpsPOWER!
with **Lead Pellets**

FLASHPUP



QUATTRO
TRIGGER

**FULLY SHROUDED
BARREL**



FLASHPUP QE



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.

Bullpup design, manual loading, side bolt action, pre-charged pneumatic (PCP) air rifle. Precision rifled choked barrel for accuracy, threaded for 1/2" UNF sound moderator & fitted muzzle cap. 165cc volume aluminum air cylinder tube (not detachable) Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced. Manual safety. Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load. Black metal trigger.



Single shot adapter is included.

Model		FlashPup			FlashPupQE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42	46	30	42	46
	ft. lbs	22	31	34	22	31	34
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		165cc			165cc		
Fill Pressure		200 BAR			200 BAR		
Number of Shots per fill		100	95	90	100	95	90
Number of Shots at Optimal Velocity		48	40	38	48	40	38
Stock		Ambidextrous bullpup wooden stock. Elevation adjustable comb.			Ambidextrous bullpup wooden stock. Elevation adjustable comb.		
Overall Length		645mm (25.4")			815mm (32")		
Barrel Length		450mm (17.7")			450mm (17.7")		
Weight		2.73kg (6lbs)			2.9kg (6.4lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1070fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



FLASHPUP S



QUATTRO
TRIGGER

**FULLY SHROUDED
BARREL**



FLASHPUP S-QE

QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.

Bullpup design, manual loading, side lever action, pre-charged pneumatic (PCP) air rifle. Precision rifled choked barrel for accuracy, threaded for 1/2" UNF sound moderator & fitted muzzle cap. 165cc volume steel air cylinder tube (not detachable) Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced. Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load. Black metal trigger.



Single shot adapter is included.

Model		FlashPup-S			FlashPup-S QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42	46	30	42	46
	ft. lbs	22	31	34	22	31	34
Magazine Capacity		14	12	10	14	12	10
Air Tube Volume		165cc			165cc		
Fill Pressure		200 BAR			200 BAR		
Number of Shots per fill		100	95	90	100	95	90
Number of Shots at Optimal Velocity		48	40	38	48	40	38
Stock		Ambidextrous bullpup synthetic stock. Elevation adjustable comb.			Ambidextrous bullpup synthetic stock. Elevation adjustable comb.		
Overall Length		645mm (25.4")			815mm (32")		
Barrel Length		450mm (17.7")			450mm (17.7")		
Weight		3 kg (6.6lbs)			3.19kg (7lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

QuietEnergy Series

1070fps **POWER!**
with Lead Pellets

ZYLOX



QE QuietEnergy
QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



FDE



FDE



GREY



GREY



OD



OD

Model	ZYLOX		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42
	ft.lbs	22	31
Magazine Capacity	14	12	10
Air Tube Volume	215cc		
Fill Pressure	200 BAR		
Number of Shots Per Fill	145	140	135
Number of Shots at Optimal Velocity	55	50	47
Stock	Advanced polymer		
Overall Length	935mm (Butt Shortened) - 1015 mm (Butt Extended) (37"-40")		
Barrel Length	450mm (17.7")		
Weight	3.1 kg (6.83 lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

Model	ZYLOX QE		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)
Energy (*)	Joules	30	42
	ft.lbs	22	31
Magazine Capacity	14	12	10
Air Tube Volume	215cc		
Fill Pressure	200 BAR		
Number of Shots Per Fill	145	140	135
Number of Shots at Optimal Velocity	55	50	47
Stock	Advanced polymer		
Overall Length	1110mm (Butt Shortened) - 1190 mm (Butt Extended) (43,7"-47")		
Barrel Length	450mm (17.7")		
Weight	3.25 kg (7.16 lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1170fpsPOWER!
with *Lead Pellets*

QuietEnergySeries



BULLBOSS

QuietEnergySeries

**FULLY SHROUDED
BARREL**



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.



BULLBOSS W

Wooden Soft Touch Stock version.



BULLBOSS OD

OD Green Soft Touch Stock version.



BULLBOSS FDE

Flat Dark Earth Color Soft Touch Stock version.



BULLBOSS M1

M1 Camo Soft Touch Stock version.



BULLBOSS M2

M2 Camo Soft Touch Stock version.

Model	BullBoss		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy (*)	Joules	36	51
	ft.lbs	27	38
Magazine Capacity	10	10	9
Air Tube Volume	230cc		
Fill Pressure	200 BAR		
Number of Shots Per Fill	160	150	135
Number of Shots at Optimal Velocity	55	45	45
Stock	Bullpup, advanced polymer, thumbhole, elevation adjustable comb		
Overall Length	935mm (36.8")		
Barrel Length	585 mm (23")		
Weight	4.3 kg (9.5lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

- Side lever action.
- Picatinny rail for both 11 mm and 22 mm scope mounts.
- Quattro Trigger
- Detachable 10-shot magazine in .177 (4.5 mm) and .22 (5.5 mm) calibers and 9-shot magazine in 25 (6.35 mm) caliber.





Serious. Solid. Impact

QuietEnergySeries

1250fpsPOWER!
with **Lead Pellets**

BT65SB & QE



BT65 SB
Side Bolt version



BT65 SB QE
Side Bolt version



- Side bolt action.
- Manual Safety.
- Scope mount rail for both 11mm and 22mm scope mounts.
- 10-shot magazine (9-shot magazine in .25/6.35mm caliber)
- Micro adjustable rear sight with Truglo fiber optics.
- Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load.
- Gold plated trigger blade.

Model		BT65 SB (Side Bolt)		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		380m/s (1250fps)	360m/s (1180fps)	330m/s (1090fps)
Energy (*)	Joules	40	61	71
	ft. lbs	30	45	52
Magazine Capacity		10	10	9
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		70	70	65
Shots at Optimal Velocity		30	28	25
Stock		Advanced polymer, montecarlo cheekpiece, adjustable butt pad & adjustable comb		
Overall Length		1080mm (42.5")		
Barrel Length		585mm (23")		
Weight		4.1kg (9lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

Model		BT65SB-QE (Side Bolt)		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		380m/s (1250fps)	360m/s (1180fps)	330m/s (1090fps)
Energy	Joules	40	61	71
	ft. lbs	30	45	52
Magazine Capacity		10	10	9
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		70	70	65
Shots at Optimal Velocity		30	28	25
Stock		Advanced polymer, thumbhole, montecarlo cheekpiece, adjustable butt pad & adjustable comb		
Overall Length		1240mm (48.8")		
Barrel Length		585mm (23")		
Weight		4.4kg (9.7lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1250fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



BT65SB-ELITE &QE

(*) Scope included with BT65SB & RB ELITE



BT65SB-ELITE
Side Bolt version



BT65SB-ELITE QE
Side Bolt version

- Side bolt action.
- Auto / Manual Safety.
- Scope mount rail good for both 11mm and 22mm scope mounts.
- 10-shot magazine (9-shot magazine in .25 /6.35mm caliber).
- Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load.
- Gold plated trigger blade.



BT65SB-Elite (Side Bolt)				BT65SB Elite -QE (Side Bolt)			
Model		4.5mm / .177cal		5.5mm / .22cal		6.35mm / .25cal	
Caliber		380m/s (1250fps)		360m/s (1180fps)		330m/s (1090fps)	
Energy (*)	Joules	40		61		71	
	ft. lbs	30		45		52	
Magazine Capacity		10		10		9	
Air Tube Volume		255cc		255cc		255cc	
Fill Pressure		200 BAR		200 BAR		200 BAR	
Shots Per Fill		70		70		65	
Shots at Optimal Velocity		30		28		25	
Stock		Advanced polymer, thumbhole, montecarlo cheekpiece, adjustable butt pad & adjustable comb		Advanced polymer, thumbhole, montecarlo cheekpiece, adjustable butt pad & adjustable comb		Advanced polymer, thumbhole, montecarlo cheekpiece, adjustable butt pad & adjustable comb	
Overall Length		1080mm (42.5")		1080mm (42.5")		1240mm (48.8")	
Barrel Length		585mm (23")		585mm (23")		585mm (23")	
Weight		4.23kg (9.3lbs)		4.23kg (9.3lbs)		4.4kg (9.7lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		0.9mm (.035") green		0.9mm (.035") green	
	Front Sight	1.5mm (.060") red		1.5mm (.060") red		1.5mm (.060") red	

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

1250fps POWER!
with **Lead Pellets**

BT65SB-W



BT65SB-W
Side bolt version



BT65RB-W
Rear bolt version

Elevation adjustable comb. Stock length of pull, elevation & fit angle adjustable rubber butt pad.



Model		BT65 SB-W (Side Bolt) / BT65 RB-W (Rear Bolt)		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		380m/s (1250fps)	360m/s (1180fps)	330m/s (1090fps)
Energy (*)	Joules	40	61	71
	ft. lbs	30	45	52
Magazine Capacity		10	10	9
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		70	70	65
Shots at Optimal Velocity		30	28	25
Stock		Genuine Turkish walnut, montecarlo cheekpiece, adjustable butt pad & adjustable comb		
Overall Length		1080mm (42.5")		
Barrel Length		585mm (23")		
Weight		4.3kg (9.4lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

- Side bolt action or rear bolt action.
- Manual Safety
- Scope mount rail for both 11mm and 22mm scope mounts
- 10-shot magazine (9-shot magazine in .25 /6.35mm caliber)
- Micro adjustable rear sight with Truglo fiber optics



- Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load.
- Gold plated trigger blade

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1190fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



GALATIAN I



- Removable rear sight.
- Trigger lock included.



**FULLY SHROUDED
BARREL**



GALATIAN I-CARBINE

Shorter (carbine) barrel version. QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter. (50-60fps less velocity due to carbine barrel)



- Side lever action
- Cocking indicator
- Dovetail grooved receiver for 11mm or 22mm scope mounts
- Quattro trigger
- Micro adjustable rear sight with Truglo fiber optics.
- Detachable 16-shot magazine in .177 caliber, 14-shot magazine in .22 and 13-shot magazine in .25



- Elevation adjustable comb. Stock length of pull, elevation & fit angle adjustable rubber butt pad.
- Spare magazine carrying slot in the stock

Model		Galatian I			Galatian I Carbine		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		360m/s (1190fps)	333m/s (1100fps)	303m/s (1000fps)	342m/s (1130fps)	318m/s (1050fps)	287m/s (950fps)
Energy	Joules	37	53	60	33	49	54
	ft.lbs	27	39	44	24	36	40
Magazine Capacity		16	14	13	16	14	13
Air Tube Volume		255cc			255cc		
Fill Pressure		200 BAR			200 BAR		
Shots Per Fill		100	90	80	100	90	80
Shots at Optimal Velocity		45	40	36	45	40	36
Stock		High Quality Turkish Walnut Thumbhole, Adjustable Butt Pad & Adjustable Comb			High Quality Turkish Walnut Thumbhole, Adjustable Butt Pad & Adjustable Comb		
Overall Length		1075mm (42.3")			1100mm (43.3")		
Barrel Length		585mm (23")			450mm (17.7")		
Weight		4kg (8.8lbs)			3.9kg (8.6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green			No sights		
	Front Sight	1.5mm (.060") red			No sights		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

1190fpsPOWER!
with *Lead Pellets*

GALATIAN II - III - IV



Model		Galatian II		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		360m/s (1190fps)	333m/s (1100fps)	303m/s (1000fps)
Energy	Joules	37	53	60
	ft. lbs	27	39	44
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		High Quality Turkish Walnut Adjustable Butt Pad & Adjustable Comb		
Overall Length		1075mm (42.3")		
Barrel Length		585mm (23")		
Weight		3.9kg (8.6lbs)		
Fiber Optic	Rear Sight	0.9mm (.035") green		
Sights Diameters	Front Sight	1.5mm (.060") red		

Model		Galatian III		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		360m/s (1190fps)	333m/s (1100fps)	303m/s (1000fps)
Energy	Joules	37	53	60
	ft. lbs	27	39	44
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		Advanced Polymer, Thumbhole, Adjustable Butt Pad & Adjustable Comb		
Overall Length		1075mm (42.3")		
Barrel Length		585mm (23")		
Weight		4.2kg (9.2lbs)		
Fiber Optic	Rear Sight	0.9mm (.035") green		
Sights Diameters	Front Sight	1.5mm (.060") red		

Model		Galatian IV		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		360m/s (1190fps)	333m/s (1100fps)	303m/s (1000fps)
Energy	Joules	37	53	60
	ft. lbs	27	39	44
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		Advanced Polymer, Adjustable Butt Pad & Adjustable Comb		
Overall Length		1075mm (42.3")		
Barrel Length		585mm (23")		
Weight		4.15kg (9.1lbs)		
Fiber Optic	Rear Sight	0.9mm (.035") green		
Sights Diameters	Front Sight	1.5mm (.060") red		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

GALATIAN II-CARBINE

GALATIAN III-CARBINE

GALATIAN IV-CARBINE



Shorter (carbine) barrel version. QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter. (50-60fps less velocity due to carbine barrel)

Model		Galatian II Carbine		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		342m/s (1130fps)	318m/s (1050fps)	287m/s (950fps)
Energy	Joules	33	49	54
	ft. lbs	24	36	40
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		High Quality Turkish Walnut Adjustable Butt Pad & Adjustable Comb		
Overall Length		1100mm (43.3")		
Barrel Length		450mm (17.7")		
Weight		3.8kg (8.4lbs)		
Fiber Optic Sights Diameters	Rear Sight	No Sights		
	Front Sight	No Sights		

Model		Galatian III Carbine		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		342m/s (1130fps)	318m/s (1050fps)	287m/s (950fps)
Energy	Joules	33	49	54
	ft. lbs	24	36	40
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		Advanced Polymer, Thumbhole, Adjustable Butt Pad & Adjustable Comb		
Overall Length		1100mm (43.3")		
Barrel Length		450mm (17.7")		
Weight		4.1kg (9lbs)		
Fiber Optic Sights Diameters	Rear Sight	No Sights		
	Front Sight	No Sights		

Model		Galatian IV Carbine		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		342m/s (1130fps)	318m/s (1050fps)	287m/s (950fps)
Energy	Joules	33	49	54
	ft. lbs	24	36	40
Magazine Capacity		16	14	13
Air Tube Volume		255cc		
Fill Pressure		200 BAR		
Shots Per Fill		100	90	80
Shots at Optimal Velocity		45	40	36
Stock		Advanced Polymer, Adjustable Butt Pad & Adjustable Comb		
Overall Length		1100mm (43.3")		
Barrel Length		450mm (17.7")		
Weight		4.05kg (8.9lbs)		
Fiber Optic Sights Diameters	Rear Sight	No Sights		
	Front Sight	No Sights		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

1070fps POWER!
with **Lead Pellets**

AT44-10 TACT



- Manual & Auto Safety.
- Scope mount rail good for both 11 mm and 22 mm scope mounts
- 10-shot magazine (9-shot magazine in .25 /6.35mm caliber)
- Micro adjustable rear sight

Model		AT44-10 Tact QE			AT44-10 Tact Long QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10	10	9
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR			200 BAR		
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Tactical Telescopic Stock / Adjustable Comb Advanced Polymer Grip			Tactical Telescopic Stock / Adjustable Comb Advanced Polymer Grip		
Overall Length	Butt Shortened	1045mm (41")			1135 (44.6")		
	Butt Extended	1145mm (45")			1235 (48.6")		
Barrel Length		495mm (19.4")			585mm (23")		
Weight		4.3kg (9.5lbs)			4.7kg (10.4lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1070fps POWER!
with **Lead Pellets**

QuietEnergy Series



Fitted detachable telescopic stock. Stock can be shortened/extended by 10cm (4"). Elevation adjustable comb - easily adjusted by a coin.

- Manual & Auto Safety.
- Scope mount rail good for both 11 mm and 22 mm scope mounts
- 10-shot magazine (9-shot magazine in .25 /6.35mm caliber)
- Micro adjustable rear sight




- Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load.
- Gold plated trigger blade



**FULLY SHROUDED
BARREL**



AT44-10 TACT QE



Model		AT44-10 Tact			AT44-10 Tact Long		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10		
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR			200 BAR		
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Tactical Telescopic Stock / Adjustable Comb / Advanced Polymer Grip			Tactical Telescopic Stock / Adjustable Comb / Advanced Polymer Grip		
Overall Length	Butt Shortened	885mm (34.8")			980mm (38.6")		
	Butt Extended	985mm (38.8")			1080mm (42.5")		
Barrel Length		495mm (19.4")			585mm (23")		
Weight		3.9kg (8.6lbs)			4.3kg (9.5lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green					
	Front Sight	1.5mm (.060") red					

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

1070fps POWER!
with **Lead Pellets**

AT44-10



QUATTRO
TRIGGER



AT44-10 CAMO

Mossy Oak New Break Up camo version.



AT44-10 MW

Stock luxurious walnut woodgrain camo version.



AT44-10 LONG

Long version with 230cc air cylinder tube, 58cm barrel and 100fps (30m/s) more muzzle velocity. Available in Camo and MW finish versions.

Model		AT44-10			AT44-10 Long		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy (*)	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10	10	9
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR					
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Advanced polymer, thumbhole, elevation adjustable comb, adjustable butt pad.					
Overall Length		990mm(39")			1085mm (42.7")		
Barrel Length		490mm (19.3")			585mm (23")		
Weight		3.3kg (7.3lbs)			3.70kg (8.1lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green					
	Front Sight	1.5mm (.060") red					

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1070fps POWER!
with Lead Pellets

QuietEnergy Series



AT44W-10



AT44W-10 LONG

Long version with 230 cc air cylinder tube, 58 cm barrel and 100 fps (30 m/s) more muzzle velocity.




AT44W-10 QE

- Manual & Auto Safety.
- Scope mount rail for both 11 mm and 22 mm scope mounts.
- 10-shot magazine (9-shot magazine in .25/6.35mm caliber)
- Micro adjustable rear sight.



- Quattro Trigger: 2-stage full adjustable match trigger for trigger travel and trigger load.
- Gold plated trigger blade



Elevation & fit angle adjustable rubber butt pad.

Model		AT44W-10			AT44W-10 Long		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy (*)	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10	10	9
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR			200 BAR		
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Genuine Turkish walnut, montecarlo cheekpiece, adjustable butt pad.			Genuine Turkish walnut, montecarlo cheekpiece, adjustable butt pad.		
Overall Length		990mm (39")			1085mm (42.7")		
Barrel Length		490mm (19.3")			585mm (23")		
Weight		3.6kg (7.9lbs)			4kg (8.8lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green			0.9mm (.035") green		
	Front Sight	1.5mm (.060") red			1.5mm (.060") red		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



Serious. Solid. Impact

QuietEnergySeries

1070fpsPOWER!
with **Lead Pellets**

AT44-10 QE

**FULLY SHROUDED
BARREL**



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately **50% Quieter**.



AT44-10 LONG QE

Long version with 230cc air cylinder tube,
58cm barrel and 100fps (30m/s) more muzzle velocity

- Elevation adjustable comb
- Elevation and fit angle adjustable rubber butt pad



Model		AT44-10 QE			AT44-10 Long QE		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10	10	9
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR			200 BAR		
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Advanced polymer, thumbhole, elevation adjustable comb adjustable butt pad.			Advanced polymer, thumbhole, elevation adjustable comb adjustable butt pad.		
Overall Length		1155mm (39.4")			1245mm (42.7")		
Barrel Length		495mm (19.4")			585mm (23")		
Weight		3.7kg (8.1lbs)			4.10kg (9lbs)		

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.

1070fps POWER!
with **Lead Pellets**



AT44S-10



AT44S-10 CAMO
Mossy Oak New Break Up camo version.



AT44S-10 MW
Stock luxurious walnut woodgrain camo version.



AT44S-10 LONG
Long version with 230cc air cylinder tube, 58cm barrel and 100fps (30m/s) more muzzle velocity. Available in Camo and MW finish versions.

Model		AT44S-10			AT44S-10 Long		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		325m/s (1070fps)	295m/s (970fps)	265m/s (870fps)	355m/s (1170fps)	325m/s (1070fps)	295m/s (970fps)
Energy (*)	Joules	30	42	46	36	51	57
	ft.lbs	22	31	34	27	38	42
Magazine Capacity		10	10	9	10	10	9
Air Tube Volume		180cc			230cc		
Fill Pressure		200 BAR					
Shots Per Fill		115	110	95	115	110	95
Shots at Optimal Velocity		60	55	45	55	50	40
Stock		Advanced polymer, montecarlo cheekpiece, adjustable butt pad.					
Overall Length		990mm (39")			1085mm (42.7")		
Barrel Length		490mm (19.3")			585mm (23")		
Weight		3.2kg (7lbs)			3.6kg (7.9lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green					
	Front Sight	1.5mm (.060") red					

* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.



- Elevation adjustable comb which can be easily adjusted by a coin.
- Elevation & fit angle adjustable rubber butt pad.



PBG400

Paintball / Pepperball / Rubberball



PBG400 F

Paintball / Pepperball / Rubberball



220fpsPOWER!
with Lead Pellets

PBG400

PAINTBALL / PEPPERBALL / RUBBERBALL



Model		PGB400		
Caliber		.68cal		
Max. Muzzle Velocity (*)		1-67m/s (220fps)	2-78m/s (260fps)	3-91m/s (300fps)
Energy (*)	Joules	7	10	13
	ft.lbs	5,2	7,3	9,8
Magazine Capacity		200		
Air Tube Volume		400		
Fill Pressure		200 BAR		
Number of Shotsper fill		200	180	160
Stock		Advanced polymer		
Overall Length		744mm (Butt Shortened) - 684mm (Butt Shortened)		
Barrel Length		254mm (10")		
Weight		2,9 kg (6,45 lbs)		

* Velocity results may vary due to different ball ammunitions.



Three Stage Speed Adjustment Button

1- 220fps

2 - 260fps

3- 300fps

220fpsPOWER!
with *Lead Pellets*



Serious. Solid. Impact

PBG400 F

PAINTBALL / PEPPERBALL / RUBBERBALL



Model		PGB400 F		
Caliber		.68cal		
Max. Muzzle Velocity (*)		1-67m/s (220fps)	2-78m/s (260fps)	3-91m/s (300fps)
Energy (*)	Joules	7	10	13
	ft.lbs	5,2	7,3	9,8
Magazine Capacity		200		
Air Tube Volume		400		
Fill Pressure		200 BAR		
Number of Shotsper fill		200	180	160
Stock		Advanced polymer		
Overall Length		840mm (Butt Shortened) - 780mm (Butt Shortened)		
Barrel Length		350mm (13,75")		
Weight		2,8kg (6,2lbs)		

* Velocity results may vary due to different ball ammunitions.



Three Stage Speed Adjustment Button

1- 220fps

2 - 260fps

3- 300fps



Serious. Solid. Impact

450fpsPOWER!
with **Lead Pellets**

VELOX

T50

RUBBERBALL / PAINTBALL



SemiAutoAction



* Velox T50 can shot up to 15 joules with barrel extension.

Model		Velox T50
Caliber		12.7mm / .50cal
Max. Muzzle Velocity (*)		136m/s (450fps)
Energy (*)	Joules	10
	ft. lbs	7,5
Magazine Capacity		5
Air Tube Volume		55cc
Fill Pressure		250 BAR
Number of Shotsper fill		20
Stock		Advanced polymer
Overall Length (pistol)		300mm (11,8") pistol
Barrel Length		165mm (6,5")
Weight		1,20kg (2,66 lbs)

* Velocity results may vary due to different ball ammunitions.



640fpsPOWER!
with *Lead Pellets*




REPEX

T50

RUBBERBALL / PAINTBALL



SemiAutoAction



Model		Repex T50
Caliber		12.7mm / .50cal
Max. Muzzle Velocity (*)		194m/s (640fps)
Energy (*)	Joules	20,5
	ft.lbs	15
Magazine Capacity		5
Air Tube Volume		165 cc
Fill Pressure		250 BAR
Number of Shotsper fill		60
Stock		Advanced polymer
Overall Length (pistol)		800mm (Butt Shortened) - 860mm (Butt Extended)
Barrel Length		457mm (18")
Weight		2,12 kg (4,7 lbs)

* Velocity results may vary due to different ball ammunitions.

Tactical side folding stock is included.

MAGAZINES AND PELLETS



10-SHOT MAGAZINE

- Easily mounts to all AT44 & BT65 10-shot PCP series air rifles.
- Light in weight and made of aluminum.
- Spare 10-shot magazines are available in .177 (4.5mm) and .22 (5.5mm) calibers.
- Spare 9-shot magazines are available in .25 (6.35mm) caliber



GALATIAN MAGAZINE

Spare magazines for Galatian PCP air rifles are available in 16 shot in .177 (4.5mm), 14 shot in .22 (5.5mm) and 13 shot in .25 (6.35mm) caliber.

BLITZ & FACTOR MAGAZINE



21-shot magazine in .22 (5.5mm), 19-shot magazine in .25 (6.35mm) and 16-shot magazine in .30 (7.62mm) caliber



SPEED MAG LOADER

Speed mag loader can be used with Blitz magazines.

HIGH CAPACITY MAGAZINE

High capacity magazine can be used in all Factor models.



HATSAN PLASTIC CASE

Designed for Hatsan PCP air rifles.



HATSAN PCP BAG

Special design bag fitting all Hatsan PCP air rifles. Made of quality and waterproof material and can carry your air rifle with scope mounted.

PCP ACCESSORIES



SOUND MODERATOR

- Reduces the sound significantly.
- ½" UNF threaded and easily mountable on the muzzle.
- Made of aluminum alloy and light in weight.



EXTENDED MUZZLE BREAK

- Extended & ported muzzle break for a different look.
- ½" UNF threaded and easily mountable on the muzzle.



AIR STRIPPER

Air stripper helps to get better accuracy and grouping by decreasing the air turbulence at the muzzle as the pellet leaves the muzzle.

2,67 L STEEL SCUBA TANK

- Capacity 2.67 Liters
- Working Pressure 300 BAR
- Test Pressure 450 BAR
- Test Life 10 YEARS



6,67 L STEEL SCUBA TANK

- Capacity 6.67 Liters
- Working Pressure 300 BAR
- Test Pressure 450 BAR
- Test Life 10 YEARS



HATSAN HAND PUMP

- The most convenient and affordable way to charge your PCP air rifle.
- Maximum 200 bar fill pressure.
- Ergonomically designed handle with synthetic cover.
- Built-in moisture trap embedded in the handle which traps the moisture and protects your pump & air rifle.
- Built-in particle filter embedded in the handle which traps the dust & dirt and protects your pump & air rifle.
- Additional compartment in the other handle where you can put spare parts and O-rings of the pump or small belongings.
- Built-in precise pressure gauge embedded in the frame which protects it from external impacts.
- Easily demountable design.
- Specialist design wide foot plate with adjustable pumping angle.
- Comes with hose and connector.



AIR TUBE CYLINDER

- Detachable air cylinder
- Maximum fill pressure 200 bar.
- Easily screws in to the all Hatsan AT44 PCP series air rifles.
- Possibility of refilling the air tube while on the rifle or detached.



HATSAN CHARGING KIT

Designed to fill air into the air cylinder of your PCP from scuba tanks. The quickest method to fill your PCP.

UNIQUE FEATURES FROM HATSAN



Quattro Trigger

This advanced two-stage match trigger is only available from Hatsan. It offers three-point adjustment to control the trigger load, the position of the first and second stages of the firing cycle, and the length of trigger travel—all while maintaining full sear engagement. The custom trigger also allows you to release finger pressure if the shot cannot be taken after engaging in the first stage of the firing cycle, automatically returning the trigger to full engagement. And a drop safety interlock device has been incorporated to eliminate the possibility of the airgun accidentally firing if it's dropped (whether or not the safety is on).



The proprietary Shock Absorber System reduces vibration and increases the life of the gun, optics, and accessories.




TRUGLO Fiber Optics

Fiber-optic technology has been integrated into a microadjustable rear sight and front sight to lend more accuracy to your shot.



QuietEnergy Sound moderator in fully shrouded barrel for reduced down-range noise—Approximately 50% Quieter.



XRS - Recoil Reduction System

Hatsan air pistols are equipped with Hatsan's "XRS-Recoil Reduction System" for a noticeably smooth shot. Recoil is absorbed during the shot by the design of the sliding action. This makes for a more accurate and comfortable shooting experience.




TRIOPAD® Butt System

Maximum recoil absorption provides added comfort, and three stock spacers allow adjustments for appropriate length of pull.

VORTEX

VORTEX GAS PISTON



WHY HATSAN VORTEX GAS PISTONS?

Unlike our competitors, Hatsan Vortex Gas Pistons technology is developed and manufactured by Hatsan to be specifically used in most Hatsan Break Barrel and Under Lever airguns. Hatsan Vortex Gas Pistons utilize regular air instead of any other type of gas. Hatsan offers 6 different types of Hatsan Vortex Gas Pistons – encompassing the majority of Hatsan's line of Break Barrel and Underlever spring action guns. The following models are offered:

Type 1 : Mod 55-60-70-75-80-85-90

Type 1-B : Mod 88-95-99

Type 2 : Mod 125-125TH-125 Sniper-135 -Torpedo 150-150TH-155

Type 3 : Striker 1000S-1000X-Edge

Type 4 : Dominator under lever series

Type 5 : Torpedo 100X-105X under lever series

Type 6 : Mod 25 SuperCharger / SuperTact

Type 7 : Proxima

Benefits of Gas Piston Airguns

- Gas piston powered airguns can remain cocked for long periods of time without causing any spring stress or damage to the gun.
- Gas piston powered airguns produce more steady and consistent power between consecutive shots versus spring powered airguns.
- Gas Piston powered airguns eliminate most of the vibration caused by the oscillation of the heavy springs used in spring powered airguns. Gas Piston models oscillate much less and finish the action cycle in less time than spring powered models making for a more comfortable confident shooting experience.
- Gas piston powered airguns' lifecycle is significantly greater than its spring action counterparts. There is no risk of spring fatigue or spring breakage. Fewer moving parts result in a much more efficient and reliable operating system.
- Gas piston powered airguns provide higher, consistent velocities over their lifetime when compared to spring action models. Springs get weaker over time causing decreases in velocity.
- Gas piston powered airguns provide a much smoother and quieter shooting experience than their spring action counterparts. With gas powered models, the cocking action is much smoother. Also, spring grinding noises are eliminated during the cocking and firing sequence.

VORTEX GAS PISTON

- More steady and consistent power between consecutive shots.
- Eliminates most vibration caused by oscillation of heavy springs.
- Much smoother and quieter shooting experience.



VORTEX GAS PISTON

MOD 125



TRIOPAD® Butt System
The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

Model		MOD 125			MOD 125TH		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)	380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Advanced Polymer with montecarlo cheekpiece & Triopad butt system			Advanced Polymer with thumbhole & montecarlo cheekpiece		
Length		1240 mm (48.8")			1205 mm (47.4")		
Barrel Length		450mm (17.7")			450mm (17.7")		
Weight		3.8 kg (8.4 lbs)			4.1 kg (9 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green			0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red			1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1250fpsPOWER!
with **Lead Pellets**



MOD 125 PRO



Model	Caliber	Max. Muzzle Velocity (*)	Stock	Length	Barrel Length	Weight	Fiber Optic Sights Diameters	
							Rear Sight	Front Sight
MOD 125 PRO	4.5mm / .177cal	380 m/s (1250 fps)	Advanced Polymer with thumbhole	1205mm (47.4")	45cm (17.7")	3,96kg (8,8lbs)	0.9mm (.035") green	1.5mm (.060") red
	5.5mm / .22cal	305 m/s (1000 fps)						
	6.35mm / .25cal	230 m/s (750 fps)						



MOD 125 PRO CAMO



MOD 125 PRO MW



(*) Scope sold separately

MOD 125 PRO QE



Protector included with
Mod 125 PRO QE only

Model	Caliber	Max. Muzzle Velocity (*)	Stock	Length	Barrel Length	Weight
MOD 125 PRO QE	4.5mm / .177cal	380 m/s (1250 fps)	Advanced Polymer with thumbhole	1220mm (48")	32,5cm (12,8")	3,96kg (8,8lbs)
	5.5mm / .22cal	305 m/s (1000 fps)				
	6.35mm / .25cal	230 m/s (750 fps)				

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.
Above Maximum muzzle velocity figures may differ depending on the pellet weight & shape.
The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.
The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

1250fpsPOWER!
with Lead Pellets

MOD 125 SNIPER

Elevation adjustable comb.



Metal trigger blade



Vortex Gas Piston Upgrade Available

Integrated Sound Moderator
Sound moderator in muzzlebreak for reduced down-range noise



**MOD 125
SNIPER CAMO**



Mossy Oak Break-Up camo version.



**MOD 125
SNIPER MW**

Luxurious walnut woodgrain camo version.

Model		MOD 125 Sniper		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Advanced Polymer with elevation adjustable comb		
Length		1240 mm (48.8")		
Barrel Length		360mm (14.2")		
Weight		4.1 kg (9 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.
The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



TRIOPAD® Butt System

The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

1250fpsPOWER!
with Lead Pellets

QuietEnergySeries



MOD 135 QE SNIPER

Available in **30** cal.

**FULLY SHROUDED
BARREL**



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.

Model		Mod135QE Sniper			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)	170 m/s (550 fps)
Stock		Advanced Polymer elevation adjustable comb			
Length		1182mm (46.5")			
Barrel Length		270mm (10.6")			
Weight		4.15kg (9.15lbs)			
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green			
	Front Sight	1.5mm (.060") red			

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Includes 3 stock spacers to extend to stock length.



(*) Scope sold separately



MOD 135QE

Genuine walnut stock version.

QUATTRO
Gold plated metal
trigger blade.

Elevation
adjustable
comb

Model		Mod135QE		
Caliber		4.5mm/.177cal	5.5mm/.22cal	6.35mm/.25cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Genuine Turkish walnut elevation adjustable comb		
Length		1200mm (47.2")		
Barrel Length		270mm (10.6")		
Weight		4.35kg (9.6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

QuietEnergySeries

1250fpsPOWER!
with **Lead Pellets**

MOD 130 QE

Available in **30**cal.

**FULLY SHROUDED
BARREL**



Vortex Gas Piston Upgrade Available



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately **50% Quieter**.

Model		Mod130QE			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)	170 m/s (550 fps)
Stock		Advanced Polymer, thumbhole elevation adjustable comb			
Length		1180mm (46.4")			
Barrel Length		270 mm (10.6")			
Weight		4.26kg (9.4lbs)			
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green			
	Front Sight	1.5mm (.060") red			

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



MOD 130

Unshrouded barrel with front sight.
(No sound moderator)

Model		Mod130			
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	7.62mm / .30cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)	170 m/s (550 fps)
Stock		Advanced Polymer, thumbhole elevation adjustable comb			
Length		1238mm (48.7")			
Barrel Length		415mm (16.3")			
Weight		4.36kg (9.6lbs)			
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green			
	Front Sight	1.5mm (.060") red			

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1250fpsPOWER!
with *Lead Pellets*



MOD 135



MOD 135 XRD

Optima 1x40 Red Dot Sight & Aluminum Sound Moderator equipped version. (No sights)
430mm (17") barrel length.



MOD 135 SP

Optima 3-9x32 Scope & Ported Muzzle Break equipped version. (No sights)
405mm (15.9") barrel length.

Model		MOD 135		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Turkish Walnut with montecarlo cheekpiece		
Length		1200 mm (47.2")		
Barrel Length		450 mm (17.7")		
Weight		4.2 kg (9.2 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



TRIOPAD® Butt System

The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

- Combo scope mount rail good for both 11 mm and 22 mm mounts.
- 1 Shock absorber scope stop.
- Manual Safety.
- Automatic Safety.
- Anti Bear-Trap.





Serious. Solid. Impact

QuietEnergy Series

45 Joule Power!

CARNIVORE 135

7.62mm caliber (.30cal) big bore

FULLY SHROUDED
BARREL



QUATTRO
TRIGGER

SAS
Shock Absorber System

Available in **30** cal.



QuietEnergy Version
QE fully shrouded barrel and
Integrated Sound Moderator -
Approximately 50% Quieter.

7.62mm caliber (.30cal) big bore. Single shot break barrel action. QuietEnergy fully shrouded barrel and Integrated Sound Moderator - **Approximately 50% Quieter.** Quattro Trigger is a 2-Stage fully adjustable match trigger system. SAS Shock Absorber System significantly reduces vibration. High quality and genuine Turkish walnut stock-hunting style, ergonomic and stylish design and montecarlo cheekpiece. Elevation adjustable comb. Checkering on grip and forearm for better control and feel. Scope mount rail for both 11mm & 22mm mounts. Shock absorber scope stop. Gold plated trigger blade. Precision rifled steel barrel. Manual safety & automatic cocking safety. Anti bear-trap safety. Micro adjustable rear sight for both windage and elevation with Truglo fiber optics. Open metal front sight with Truglo fiber optics.



(*) Scope sold separately



Elevation adjustable comb

Model	Carnivore 135	
Caliber	7.62mm / .30cal	
Max. Muzzle Velocity (*)	170 m/s (550 fps)	
Stock	Genuine Turkish walnut elevation adjustable comb	
Length	1200mm (47.2")	
Barrel Length	270mm (10.6")	
Weight	4.35kg (9.6lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green
	Front Sight	1.5mm (.060") red

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.
The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1250fpsPOWER!
with **Lead Pellets**



SPEEDFIRE 1250



Integrated Sound Moderator
Sound moderator in muzzlebreak for reduced down-range noise



Break barrel 12 shot repeater in .177 (4.5mm) and 10 shot repeater in .22 (5.5mm) caliber. Includes 2 detachable Rapid Performance Mag (RPM) magazines. With a single motion, Hatsan's "EZ-Load Action System" quickly cocks and loads the gun. Vortex gas piston power source. Integrated Sound Moderator in muzzle break for reduced down-range noise. Quattro Trigger is a 2-Stage fully adjustable match trigger system. SAS- Shock Absorber System significantly reduces vibration. Manual safety & automatic cocking safety. Anti bear-trap cocking arm safety. Metal trigger blade.



Includes 2 detachable Rapid Performance Mag (RPM) magazines.
12-shot RPM magazine in .177 (4.5mm) and 10 shot RPM magazine in .22 (5.5mm) caliber



(*) Scope sold separately

Rapid Performance Mag (RPM) magazines are easily detachable with a touch of button. With a single motion, Hatsan's EZ-Load Action System quickly cocks and loads the gun. Micro adjustable rear sight for both windage and elevation with Truglo fiber optics.

Model		SpeedFire1250	
Caliber		4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity-Lead Pellet (*)		380m/s (1250fps)	305m/s (1000fps)
Energy		24 Joule (18 ft/lbs)	27 Joule (20 ft/lbs)
Magazine Capacity		12	10
Stock		Advanced Polymer	
Length		1243mm (48.9")	
Barrel Length		360mm (14")	
Weight		3.6kg (7.9lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green	
	Front Sight	1.5mm (.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

Foldable front sight with Truglo fiber optics





Serious. Solid. Impact

1000fps POWER!
with Lead Pellets

SPEEDFIRE

**FULLY SHROUDED
BARREL**



Integrated Sound Moderator
Sound moderator in muzzlebreak for reduced down-range noise



SPEEDFIRE W

Break barrel 12 shot repeater in .177 (4.5mm) and 10 shot repeater in .22 (5.5mm) caliber. Includes 2 detachable Rapid Performance Mag (RPM) magazines. With a single motion, Hatsan's "EZ-Load Action System" quickly cocks and loads the gun. Vortex gas piston power source. Integrated Sound Moderator in muzzle break for reduced down-range noise. Precision rifled steel barrel with synthetic shroud. Quattro Trigger is a 2-Stage fully adjustable match trigger system. SAS- Shock Absorber System significantly reduces vibration. Manual safety & automatic cocking safety. Anti bear-trap cocking arm safety. Stylish design ambidextrous synthetic stock. Metal trigger blade.



Includes 2 detachable Rapid Performance Mag (RPM) magazines.
12-shot RPM magazine in .177 (4.5mm) and 10 shot RPM magazine in .22 (5.5mm) caliber



(*) Scope sold separately



Rapid Performance Mag (RPM) magazines are easily detachable with a touch of button. With a single motion, Hatsan's EZ-Load Action System quickly cocks and loads the gun. Micro adjustable rear sight for both windage and elevation with Truglo fiber optics.

Model		SpeedFire		SpeedFire W	
Caliber		4.5mm / .177cal	5.5mm / .22cal	4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity-Lead Pellet (*)		305 m/s (1000 fps)	245 m/s (800 fps)	305 m/s (1000 fps)	245 m/s (800 fps)
Energy		24 Joule (18 ft/lbs)	27 Joule (20 ft/lbs)	24 Joule (18 ft/lbs)	27 Joule (20 ft/lbs)
Magazine Capacity		12	10	12	10
Stock		Advanced Polymer		Walnut	
Length		1190mm (46.85")		1195mm (47")	
Barrel Length		370mm (14.5")		370mm (14.5")	
Weight		3kg (6.6lbs)		3.4kg (7.5lbs)	
Fiber Optic Sights	Rear Sight	0.9mm (.035") green		0.9mm (.035") green	
	Front Sight	1.5mm (.060") red		1.5mm (.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

820fps POWER!
with **Lead Pellets**



PROXIMA

UNDERLEVER



WORLD'S FIRST
14
SHOT
Underlever repeater available in 3 calibers!



14 shot repeater in .177 (4.5mm) , 12 shot repeater in .22 (5.5mm) and 10 shot repeater in .25 (6.35mm) calibers. Vortex gas piston power source. Black chrome finish barrel and cylinder provides maximum corrosion resistance. Fixed barrel / under lever cocking system. Quattro Trigger is a 2-Stage fully adjustable match trigger system. SAS- Shock Absorber System significantly reduces vibration. Anti bear-trap cocking arm safety. Stylish design genuine Turkish walnut ambidextrous stock. Scope mount rail & shock absorber scope stop. Gold plated trigger blade. Includes 3 stock spacers to extend to stock length.



(*) Scope sold separately

Elevation adjustable comb.



Three stock length of pull spacers are included. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the suitable stock length of pull.



Model		Proxima		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		250m/s (820fps)	220m/s (720fps)	190m/s (620fps)
Magazine Capacity		14	12	10
Stock		Genuine Turkish walnut. Ambidextrous and ergonomic design with thumbhole. Elevation adjustable comb.		
Overall Length		1153mm (45.4")		
Barrel Length		420mm (15.5")		
Weight		4.25kg (9.3lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.
The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Includes 2 detachable clip magazines
14 shot magazine in .177 (4.5 mm) , 12 shot magazine in .22 (5.5 mm) and 10 shot magazine in .25 (6.35 mm) caliber.

DOMINATOR 200W

UNDERLEVER



Elevation adjustable comb.



DOMINATOR 200W CARBINE

Shorter barrel and no-sights version.



Elevation adjustable comb.



DOMINATOR 200S CARBINE

Shorter barrel and no-sights version.



Dominator 200W Carbine is equipped with 1/2" UNF threaded muzzle for sound moderator & with muzzle cap.

Three stock length of pull spacers are included. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the suitable stock length of pull.



Model	Dominator 200W Carbine		
Caliber	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)	305 m/s (1000 fps)	245 m/s (800fps)	200 m/s (650 fps)
Stock	Turkish Walnut with adjustable comb and adjustable butt		
Length	1098mm (43.2")		
Barrel Length	400mm (15.7")		
Weight	4.4kg (9.7 lbs)		

Model		Dominator 200W		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800fps)	200 m/s (650 fps)
Stock		Turkish Walnut with adjustable comb and adjustable butt		
Length		1156mm (45.5")		
Barrel Length		450mm (17.7")		
Weight		4.5kg (9.9 lbs)		
Fiber Optic	Rear Sight	0.9mm (.035") green		
Sights Diameters	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1250fpsPOWER!
with **Lead Pellets**



TORPEDO 150 UNDERLEVER



TRIOPAD® Butt System

The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

Model		Torpedo 150			Torpedo 150TH		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)	380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Advanced Polymer with montecarlo cheekpiece			Advanced Polymer with thumbhole & montecarlo cheekpiece		
Length		1210 mm (47.6")			1170 mm (46")		
Barrel Length		430 mm (17")			430 mm (17")		
Weight		4.3 kg (9.4lbs)			4.6 kg (10 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green			0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red			1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

TORPEDO 155

UNDERLEVER



Gold plated metal trigger blade.

Fixed barrel & under lever cocking system.



Micro adjustable rear sight.

- Combo scope mount rail good for both 11 mm and 22 mm mounts.
- 1 Shock absorber scope stop.
- Manual Safety.
- Automatic Safety.
- Anti Bear-Trap.



Bolt action loading system providing maximum power.

Model		Torpedo 155		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Turkish Walnut with montecarlo cheekpiece		
Length		1210 mm (47.6")		
Barrel Length		430 mm (17")		
Weight		4.8 kg (11 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



TRIOPAD® Butt System

The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

1250fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



TORPEDO 150 SNIPER UNDERLEVER



Integrated Sound Moderator
Sound moderator in muzzlebreak for reduced down-range noise



QUATTRO
Metal trigger blade



Elevation adjustable comb.

Model		Torpedo 150 Sniper		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		380 m/s (1250 fps)	305 m/s (1000 fps)	230 m/s (750 fps)
Stock		Advanced Polymer thumbhole ambidextrous stock with adjustable comb and adjustable butt		
Length		1230 (48.4")		
Barrel Length		330 mm (13 ")		
Weight		4.2 kg (9.2 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



TORPEDO 100X

UNDERLEVER



Vortex Gas Piston Upgrade Available



TORPEDO 105X



Vortex Gas Piston Upgrade Available



**TORPEDO 105X
CAMO**

Mossy Oak Break-Up camo version.



TORPEDO 105X MW

Luxurious walnut woodgrain camo version.

Model		Torpedo 100X			Torpedo 105X		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Turkish Walnut with montecarlo cheekpiece			Advanced Polymer with montecarlo cheekpiece		
Length		1200 mm (47.2")			1200 mm (47.2")		
Barrel Length		430 mm (17")			430 mm (17")		
Weight		4.2 kg (9.2 lbs)			3.9 kg (8.6 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green			0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red			1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1000fps POWER!
with Lead Pellets


QuietEnergy Series



MOD 87QE



Fully shrouded barrel.



Metal trigger blade

Model	Mod87QE			Mod87W-QE		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock	Advanced Polymer elevation adjustable comb			Genuine Turkish walnut elevation adjustable comb		
Length	1132mm (44.5")			1142mm (45")		
Barrel Length	270mm (10.6")			270mm (10.6")		
Weight	3.35kg (7.4lbs)			4.07kg (8.9lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		1.5mm (.060") red		


* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

**FULLY SHROUDED
BARREL**



Gold plated metal trigger blade.



MOD 87W QE



Metal front sight with Truglo fiber optics.

MOD 87

Unshrouded barrel with hooded front sight. (No sound moderator)



MOD 87 CAMO

A-Tacs Tactical camo version

Model	Mod87		
Caliber	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock	Stock Advanced Polymer elevation adjustable comb		
Length	1150 mm (45.3")		
Barrel Length	450 mm (17.7")		
Weight	3.7kg (8.1lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green	
	Front Sight	1.5mm (.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



"EasyAdjust" Elevation Comb - Stock equipped with integrated elevation adjustment wheel - eliminating need for wrenches.



Serious. Solid. Impact

1000fps POWER!
with **Lead Pellets**

MOD 65

**FULLY SHROUDED
BARREL**



**Integrated Sound
Moderator**

Sound moderator in muzzlebreak
for reduced down-range noise



Vortex Gas Piston Upgrade Available

Model		MOD 65		
Caliber		4.5mm / .177 cal	5.5mm / .22 cal	6.35mm / .25 cal
Max. Muzzle Velocity-Lead Pellet (*)		305m/s (1000 fps)	245m/s (800 fps)	200m/s (650 fps)
Stock		Turkish Walnut		
Length		1185mm (46.6")		
Barrel Length		370mm (14.5")		
Weight		3kg (6.6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Fully shrouded barrel and Integrated Sound moderator in muzzle break for reduced downrange noise.
TRUGLO fiber optic sights with contrasting fiber colors.



- Ergonomic design walnut stock with elevation adjustable comb.
- Ventilated rubber butt pad for recoil absorption.
- Checkering on grip & forend for better control and feel.
- Quattro trigger
- Metal trigger blade

1000fpsPOWER!
with **Lead Pellets**

QuietEnergySeries



MOD 95




**FULLY SHROUDED
BARREL**

QuietEnergySeries



MOD 95 QE



Gold plated metal
trigger blade.

- Combo scope mount rail good for both 11 mm and 22 mm mounts.
- 1 Shock absorber scope stop.
- Manual Safety.
- Automatic Safety.
- Anti Bear-Trap.



Model		MOD 95			Mod95 QE		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal	4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Turkish Walnut			Genuine Turkish walnut		
Length		1125 mm (44.3")			1132mm (44.5")		
Barrel Length		405mm (15.9")			270mm (10.6")		
Weight		3.8 kg (8.4 lbs)			3.45kg (7.6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green			0.9mm (.035") green		
	Front Sight	1.5 mm (.060") red			1.5mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

1000fpsPOWER!
with Lead Pellets

MOD 85



Metal trigger blade



Vortex Gas Piston Upgrade Available



MOD 85 CAMO

Mossy Oak Break-Up camo version.



MOD 85 MW

Luxurious walnut woodgrain camo version.



TRIOPAD® Butt System

The Hatsan TRIOPAD® Butt System utilizes a heavy duty rubber recoil pad and 3 stock spacers. This allows for maximum recoil absorption and up to 4 different length of pull options.

Grooved cylinder for
11mm mounts mounted
scope stop.



Manual Safety.
Automatic Safety.
Anti Bear-Trap.

Model		MOD 85		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced Polymer with montecarlo cheekpiece & Triopad butt system		
Length		1125 mm (44")		
Barrel Length		450 mm (17.7")		
Weight		3.3 kg (7.2 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1000fpsPOWER!
with **Lead Pellets**



MOD 85X



MOD 85 SNIPER

Integrated Sound Moderator
Sound moderator in muzzlebreak for reduced down-range noise



Model	MOD 85X		
Caliber	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)	305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock	Advanced Polymer with montecarlo cheekpiece & Triopad butt system		
Length	1125 mm (44")		
Barrel Length	275mm (10.8")		
Weight	3.3 kg (7.2 lbs)		
Sight	Optima 3-9x32 Scope		

Model	MOD 85 Sniper		
Caliber	4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)	305 m/s (1000 fps)	245 m/s (800fps)	200 m/s (650 fps)
Stock	Advanced Polymer with montecarlo cheekpiece		
Length	1135 mm (44.7")		
Barrel Length	320mm (12.6")		
Weight	3.3 kg (7.2 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green	
	Front Sight	1.5 mm (.060") red	

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

MOD 70 & 55S



MOD 70



Metal trigger blade



Vortex Gas Piston Upgrade Available



MOD 70 CAMO

Mossy Oak Break-Up camo version.



MOD 70 MW

Luxurious walnut woodgrain camo version.

Model		MOD 70		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced Polymer with montecarlo cheekpiece		
Length		1135 mm (44.6")		
Barrel Length		450 mm (17.7")		
Weight		3.2 kg (7 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



MOD 55S



Vortex Gas Piston Upgrade Available

Model		MOD 55S		
Caliber		4.5mm / .177 cal	5.5mm / .22 cal	6.35mm / .25 cal
Max. Muzzle Velocity (*)		305m/s (1000 fps)	245m/s (800 fps)	200m/s (650 fps)
Stock		Wooden		
Length		1140mm (45")		
Barrel Length		450mm (17.7")		
Weight		3.4kg (7.5 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1000fpsPOWER!
with *Lead Pellets*



MOD 80 & 90



MOD 80

QUATTRO
TRIGGER
Metal trigger blade

S&S
Shock Absorber System

VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available



MOD 80 CAMO
Mossy Oak Break-Up camo version.



MOD 80 MW
Luxurious walnut woodgrain camo version.



MOD 90

QUATTRO
TRIGGER
Metal trigger blade

S&S
Shock Absorber System

VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available



MOD 90 CAMO
Mossy Oak Break-Up camo version.



MOD 90 MW
Luxurious walnut woodgrain camo version.

Model		MOD 80 / 90		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced Polymer with montecarlo cheekpiece		
Length		1135 mm (44.6")		
Barrel Length		450 mm (17.7")		
Weight		3.2 kg (7 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

*Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
*The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

1000fpsPOWER!
with *Lead Pellets*

ZADA

**FULLY SHROUDED
BARREL**



**Integrated Sound
Moderator**

Sound moderator in muzzlebreak
for reduced down-range noise



ZADA



**ZADA
MOONSHINE**



**ZADA
CAMO**

Model	Caliber	Max. Muzzle Velocity (*)	Stock	Length	Barrel Length	Weight	Fiber Optic Sights Diameters	
							Rear Sight	Front Sight
ZADA	4.5mm / .177cal	305 m/s (1000 fps)	Advanced Polymer Tactical Style	1140mm (44,9")	37cm (14,6")	2,57 (5,7lbs)	0.9mm (.035") green	1.5mm (.060") red
	5.5mm / .22cal	245 m/s (800 fps)						
	6.35mm / .25cal	200 m/s (650 fps)						

(*) Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature elevation as well as other factors.

Above Maximum muzzle velocity figures may differ depending on the pellet weight & shape.

The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.

The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1000fps POWER!
with *Lead Pellets*



Serious. Solid. Impact

AIRTACT

**FULLY SHROUDED
BARREL**



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available

Integrated Sound Moderator
Sound moderator in muzzlebreak
for reduced down-range noise



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available

AIRTACT ED

Integrated Sound Moderator
Sound moderator in muzzlebreak
for reduced down-range noise



AIRTACT PD

Unshrouded barrel version with large
muzzle break (no sound moderator)



(*) Scope sold separately

Model		AirTact / AirTact ED / AirTact PD		
Caliber		4.5mm / .177cal	5.5mm / .22cal	6.35mm / .25cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced Polymer. Integrated Pistol Grip.		
Length		1135mm (44.7")		
Barrel Length		370mm (14.5")		
Weight		2.75kg (6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

1000fps POWER!
with **Lead Pellets**

EDGE



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available



EDGE MOONSHINE 
Harvest moon camouflage version



EDGE CAMO 
Mossy Oak Break-Up Infinity camo version



EDGE MW
Luxurious walnut woodgrain camo version



Model		Edge		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced Polymer, Thumbhole		
Length		1100mm (43.3")		
Barrel Length		420mm (16.5")		
Weight		3kg (6.6lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green		
	Front Sight	1.5mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.

1000fpsPOWER!
with **Lead Pellets**



STRIKER 1000S



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available



STRIKER 1000S
Dark Grey



STRIKER 1000S
Orange



STRIKER 1000S
Yellow

Soft rubber inlays are available in grey, dark grey,
yellow and orange colors upon request



STRIKER 1000X

VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available



Model		Striker 1000S		
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	6.35 mm / .25 cal
Max. Muzzle Velocity (*)		305 m/s (1000 fps)	245 m/s (800 fps)	200 m/s (650 fps)
Stock		Advanced polymer with montecarlo checkpiece		
Length		1095 mm (43")		
Barrel Length		420mm (16.5")		
Weight		2.9 kg (6.4 lbs)		
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		
	Front Sight	1.5 mm (.060") red		

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

640fps POWER!
with *Lead Pellets*

ALPHA

**FULLY SHROUDED
BARREL**



Integrated Sound Moderator
Sound moderator in muzzlebreak
for reduced down-range noise



ALPHA CAMO
Mossy Oak Break-Up camo version.



ALPHA MW
Luxurious walnut woodgrain camo version



ALPHA W
Wood stock version.
Unshrouded steel barrel without sound moderator.

Model		Alpha	
Caliber		4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity (*)		195m/s (640 fps)	170 m/s (550fps)
Stock		Advanced Polymer.	
Length		1057mm (41.6")	
Barrel Length		370mm (14.5")	
Weight		2.3kg (5lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green	
	Front Sight	1.5mm (.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

650fpsPOWER!
with **Lead Pellets**



MOD 35S & MOD 33



MOD 35S



MOD 33



MOD 33 PINK
Mossy Oak Pink camo version.



MOD 33 CAMO
Mossy Oak Break-Up camo version.



MOD 33 MW
*Luxurious walnut woodgrain
camo version.*

Model		MOD 33	MOD 35S
Caliber		4.5mm / .177 cal	4.5mm / .177 cal
Max. Muzzle Velocity (*)		200m/s (650 fps)	200m/s (650 fps)
Stock		Advanced Polymer	Wooden
Length		1060mm (41.7")	1070mm (42.1")
Barrel Length		450mm (17.7")	450mm (17.7")
Weight		3kg (6.6 lbs)	3kg (6.6 lbs)
Fiber Optic Sights Diameters	Rear Sight	0.9mm (.035") green	0.9mm (.035") green
	Front Sight	1.5mm (.060") red	1.5mm (.060") red

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity.
The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

700fpsPOWER!
with **Lead Pellets**

SUPER CHARGER QE



QE **QuietEnergy Version**
QE fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter.



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available

XRS - RECOIL REDUCTION SYSTEM

Equipped with Hatsan's "XRS-Recoil Reduction System" for a noticeably smooth shot. Recoil is absorbed during the shot by the design of the sliding action. This makes for a more accurate and comfortable shooting experience.



MOD 25 SUPERCHARGER



VORTEX
GAS PISTON
Vortex Gas Piston Upgrade Available

Mod25 SuperCharger air pistol is designed for high power. It can shoot 700fps. in .177cal (4.5mm) and 600fps in .22cal (5.5mm) all rated with lead pellets. You have the power of an air rifle from the Mod25 Supercharger air pistol. It's well balanced design fits perfect in your hands. The grip is sporting style and ergonomically shaped. Left hand version grip is available upon request. Muzzle cap fitted muzzle is 1/2" UNF threaded for silencer or muzzle break mounts. The included aluminum cocking aid assists in cocking and also provides a more stylish look.

Aluminum cocking aid.

Model		Mod 25 SuperCharger		SuperCharger QE	
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity (*)		215 m/s (700 fps)	180 m/s (600 fps)	215 m/s (700 fps)	180 m/s (600 fps)
Stock		Advanced Polymer		Advanced Polymer Grip	
Length		508 mm (20")		475 mm (18.7")	
Barrel Length		230 mm (9.05")		184 mm (7.2")	
Weight		1.7 kg (3.9 lbs)		1.6kg (3.5lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		0.9mm (.035") green	
	Front Sight	1.5 mm (.060") red		1.5mm(.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.


700fps POWER!
with **Lead Pellets**

QuietEnergy Series



MOD 25 SUPERTACT QE

**FULLY SHROUDED
BARREL**



**MOD 25
SUPERTACT QE CAMO**
Mossy Oak Break-Up camo version.



**MOD 25
SUPERTACT**



Model		Mod 25 SuperTact		Mod 25 SuperTact QE	
Caliber		4.5 mm / .177 cal	5.5 mm / .22 cal	4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity (*)		215 m/s (700 fps)	180 m/s (600 fps)	215 m/s (700 fps)	180 m/s (600 fps)
Stock		Tactical Telescopic Stock / Advanced Polymer Grip		Tactical Telescopic Stock / Adjustable Comb / Advanced Polymer Grip	
Length	Butt Shortened	670mm (26.3")		837mm (32.9")	
	Butt Extended	770mm (30.3")		937mm (36.9")	
Barrel Length		230mm (9.05")		230mm (9")	
Weight		2.5kg (5.5lbs)		2.6kg (5.7lbs)	
Fiber Optic Sights Diameters	Rear Sight	0.9 mm (.035") green		0.9mm (.035") green	
	Front Sight	1.5 mm (.060") red		1.5mm (.060") red	

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.

* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.



Serious. Solid. Impact

500fpsPOWER!
with **Lead Pellets**

MOD 25



MOD 25 MW


Luxurious walnut woodgrain
camo version.



Cocking Aid
Easily mounts in the muzzle which
provides an easier cocking.

Model	MOD 25	
Caliber	4.5mm / .177cal	5.5mm / .22cal
Max. Muzzle Velocity (*)	150m/s (500fps)	120m/s (400fps)
Stock	Advanced Polymer	Advanced Polymer
Length	370mm (14.5")	370mm (14.5")
Barrel Length	165mm (6.5")	165mm (6.5")
Weight	1.24kg (2.7 lbs)	1.24kg (2.7 lbs)

* Above maximum muzzle velocity figures may differ depending on the pellet weight & shape.
* The energy restrictions of a particular country can be achieved by the reduction in the muzzle velocity. The above maximum velocity figures are obtained when there is no energy restriction on the air rifle.





Serious. Solid. Impact



OPTIMA SCOPES



PTiMA

3-12x44AOE Scope

Red illuminated reticle, aluminum frame scope. Comes with scope mounts.



PTiMA

3-9x32 Scope

Aluminum frame scope. Comes with scope mounts.



PTiMA

3-7x20 Scope

Aluminum frame scope. Comes with scope mounts.



PTiMA

4x20 Scope

Aluminum frame scope. Comes with scope mounts.



PTiMA

1x40 Red-Dot Sight

Aluminum frame red dot sight. Comes with integrated mounts.

Model	Magnification	Objective Diameter	Tube Diameter	Exit Pupil	Eye Relief	Length	Weight
Optima 1x40 Red Dot Sight	1X	40mm	47mm	40mm	unlimited	9.5cm	190grams
Optima 3-12x44AOE Scope	3X-12X	44mm	25.4mm	14.6 - 3.67mm	82-87mm	33cm	500grams
Optima 3-9x32 Scope	3-9x32	32mm	25.4mm	3.56- 10.67mm	70-85mm	29.5cm	395grams
Optima 3-7x20 Scope	3-7x20	20mm	19mm	6.7- 2.9mm	75mm	29.5cm	235grams
Optima 4x20 Scope	4x20	20mm	19mm	5mm	75mm	29.5cm	207grams

ACCESSORIES



OPTIMA PROTECTOR SCOPE MOUNT

- Eliminates almost all recoil force on the rifle scopes and hence provides repeated accuracy.
- Suitable with 1" (25.4mm) tube diameter rifles scopes.
- Fits 11mm dovetail. 22mm picatinny rail version is available.
- 4 screws per ring secure optics and 3 screws fasten the base of the mount. Includes hex wrench.
- Vertical scope stop pin.
- Dimensions (L x H x W): 120 x 50 x 40mm.
- Weight: 205grams.
- Material: Aluminum.



OPTIMA LONG RANGE SCOPE MOUNT

- Elevation and angle adjustable rings provides more setting needed for long range accuracy.
- 0.16" (4.0mm) elevation adjustable and +/- 1.5 degrees angle adjustable.
- Suitable with 30mm tube diameter rifles scopes.
- Fits 22mm picatinny rails. 11mm dovetail version is available.
- Weight (of 2 rings): 126grams.
- Material: Aluminum.

HATSAN SLING



HATSAN AIR RIFLE BAG



Special design air rifle bag fitting all Hatsan air rifles. Made of quality and waterproof material and can carry your air rifle with scope mounted.

AIR RIFLE PELLET CATCHER




- Designed to use with Hatsan Air Rifles.
- Special design which traps the pellets and lever lets them out...
- Superb-all-steel construction.
- Galvanized finish assuring durability and total protection against corrosion.
- Comes in its box with 20 pieces Hatsan targets.
- Suitable for shooting with all Hatsan air guns with velocities even up to 1250 fps (375 m/s).
- Intended for use with lead air-gun pellets. Steel BBs should never be used with pellet catchers because of danger of ricochets.



HATSAN BIPOD


Foregrip with expandable bipod

HATSAN TARGETS



Hatsan Target #1 for short distance shots

- Designed to use with Hatsan pellet catchers.
- Worldwide considered shooting target dimensions. Supplied in 100 pieces packages: 50pcs target #1 & 50pcs target #2



Hatsan Target #2 for long distance shots

AIR PISTOL PELLET CATCHER

Designed to use with Hatsan Air Pistol.





HATSAN

ARMS COMPANY

Factory: Kemalpaşa O.S.B. Mahallesi, Ansızca Sanayi Sitesi No: 303,
Kemalpaşa, 35730, İzmir - TURKEY
Office: Kemalpaşa O.S.B. Mahallesi, İzmir - Ankara Karayolu No: 365, İç Kapi No: 1,
Kemalpaşa, 35730, İzmir - TURKEY
Tel: +90 (232) 878 91 00 Fax: +90 (232) 878 91 02 - 878 97 23
Tel: +90 (232) 878 91 00 Fax: +90 (232) 878 91 02 - 878 97 23
info@hatsan.com.tr



HATSAN.COM.TR

HATSAN AIRGUNS

 /hatsanarms  /hatsan  /hatsanarms  /hatsan  /hatsanarms  /hatsan_arms